PUPSHELF

The Complete Dachshund Guide

The long-backed, big-personality dog nobody warned you about



Topics Included

1. The Dachshund Mind
2. Built Long, Not Fragile
3. Building Trust
4. Calm Daily Routines
5. Toilet & Marking Fixes
6. Crate & Sleep Training
7. Leash & Outdoor Skills
8. Focus & Obedience
9. Calm Behavior Tools
10. Everyday Problem Solving
11. Mental Enrichment
12. Safe Exercise & Play
13. Grooming & Handling
14. Multi-Dog Living
15. Weight & Health Essentials
16. Lifetime Care Plan

The Dachshund Mind





The sentence every Dachshund owner eventually says

> **“He heard me. He just didn’t care.” “She barked at a leaf for ten minutes and would not stop for anything.” “He’s the most stubborn dog I’ve ever owned, and I mean that as a compliment half the time.”**

The Dachshund Mind

If you live with a Dachshund, you've said some version of one of these, usually within the first month. And almost every generic dog-training article treats these as personality problems — a stubborn dog, a noisy dog, a dog who's "just being difficult."

They're not personality problems. They're a job description, still running, in a dog most of us only ever knew as a couch companion. Understanding that job changes how you train, how you exercise, and how much patience you budget for the next twelve to fourteen years.

The dog with a job title built into its name

"Dachshund" is German for badger dog — *Dachs*(badger) plus *Hund*(dog) — and that's not a cute etymology fact, it's a literal description of what this breed was built to do. Dachshunds were bred to go

underground, alone, into badger and fox burrows, follow the scent through total darkness, and either corner the animal or drive it out for the hunter waiting above. The American Kennel Club still classifies them in the Hound Group for exactly this reason: they are scent hounds first, lap dogs second.

Think about what that job actually required. A dog working a tunnel can't see its handler, can't hear a recall command over its own digging, and can't check back for instructions every few feet. It has to follow the scent trail and make its own decisions the entire way down. It has to be willing to close on an animal that outweighs it, fights back with teeth and claws built for exactly this kind of confrontation, and doesn't back down just because the dog on the other end of the tunnel is small. And once it found its quarry, it had to bark — loudly, continuously — so the hunter above ground could locate the dig site by sound alone.

Independent decision-making. Total commitment to a scent trail over any competing signal, including a human voice. Physical confidence wildly out of proportion to size. A loud, persistent bark used as a working tool, not a nuisance. None of that faded when the breed moved from hunting fields to living rooms. It's still the operating system underneath the dog asleep on your lap right now.

Why "stubborn" is the wrong word

Reframe the word before you spend years fighting it: a Dachshund ignoring you mid-sniff isn't defiance for its own sake. It's a dog doing precisely what centuries of selective breeding wired it to do — trust the scent over the voice, and keep going once committed. Calling that stubbornness makes it sound like a flaw to correct with more firmness. It isn't. It's tenacity, the exact trait that let

an eight-kilogram dog stand its ground against an animal that could seriously hurt it, and tenacity doesn't respond well to being overpowered. It responds to being redirected.

> **This is why heavy-handed correction tends to backfire with this breed specifically. A dog built to hold its ground against a badger is not a dog that folds under pressure from a raised voice or a jerked leash – if anything, pressure tends to make a Dachshund dig in harder, which owners then read as the dog getting more stubborn, when really it's the training approach that's mismatched to the dog. Reward-based training – food, play, and clear, consistent structure – works with this instinct instead of against it, and it's the approach the training chapters ahead are built around.**





The nose that runs the show

Dachshunds are ground-scenting hounds, in the same working category as Beagles and Bassett Hounds: nose down, working a trail, functionally deaf to the world until the scent runs out or gets more interesting elsewhere. This is exactly why recall is one of the hardest skills to build reliably in this breed, and why an

off-leash Dachshund near an open gate or a busy street is a real safety risk rather than a training failure to feel bad about. The nose was never designed to defer to a voice command mid-trail. It was designed to win that exact contest.

It also means the digging, the fixation on a squirrel three yards away, and the sudden dead stop to investigate a smell you can't even detect aren't misbehavior. They're the scent-hound job, firing on schedule, in a dog who never got the memo that the badgers retired.


Big dog, small body

Ask most Dachshund owners to describe their dog's confidence level and you'll hear some version of "he has no idea he's small." That's not an accident either. A dog that hesitates at the mouth of a badger sett

doesn't get the job done, so the breed was selected for genuine physical courage, not the appearance of it. That same courage now shows up as a Dachshund squaring up to a dog five times its size, guarding the front door like the house depends on it, or flatly refusing to be picked up mid-investigation.

It's tempting to read this as "small dog syndrome" — an attitude problem to be embarrassed about. It's more useful to read it as inherited working confidence that needs a job and some structure, not a correction. A Dachshund given calm leadership and outlets for that nerve tends to settle into a genuinely secure companion. One allowed to run the household on confidence alone tends to get louder over time, simply because nothing has ever told it otherwise.





Not every Dachshund is wired the same

The instinct described above is the core of the breed, but it doesn't show up identically in every dog. Standard Dachshunds were bred with badgers and foxes in mind; Miniature Dachshunds were developed later for smaller quarry like rabbits, and many owners and breeders describe minis as slightly more portable

in temperament — still tenacious, often just as vocal, but sometimes a touch more willing to compromise. Coat type tracks a loose pattern too: Wirehaired Dachshunds carry more terrier ancestry from crosses used to toughen up their working drive, and are frequently described as the feistiest and most tunnel-focused of the three coats, while Longhaired Dachshunds, developed partly from spaniel crosses, are often a little more biddable and affectionate on average. Smooth-coated dogs, the oldest and most original coat, tend to sit in the middle.

These are tendencies, not guarantees — plenty of laid-back Wirehaireds and intense Smooths exist, and the individual dog in front of you matters more than the coat-type average. But it explains why two Dachshunds raised almost identically can still land in different places on the independence spectrum.

A simple way to read your own dog

You don't need special equipment to get a read on how strong your own dog's scent drive is — just a few minutes on a walk. Call it the **Sniff-and-Call Test**. The next time your dog stops to investigate something interesting on a walk — nose down, tail working, fully absorbed — say their name once in a normal, upbeat tone, from a few feet away, without repeating it and without moving closer. Count how many seconds it takes for an ear to flick toward you or a head to lift, and note whether it happens at all before the dog moves on to the next smell.

A quick response most of the time tells you that you're working with a dog whose engagement with you can compete reasonably well with a scent trail — useful, and still worth building on. A dog that consistently doesn't respond until the smell itself runs out isn't broken or badly trained; it's a strong-nosed hound telling you

exactly how much structure and management (a secure yard, a long line instead of freedom near unfenced roads, high-value rewards saved specifically for recall practice) it's going to need for the rest of its life. Either way, you now have real information about your individual dog instead of a generic assumption about "the breed."



What this changes about training in this book

Every training chapter ahead assumes the dog described in this chapter, not a blank slate. Sessions are built short and high-value, because a scent hound's attention has a natural ceiling that no amount of insistence will raise. Recall work leans on management — long lines, secure fencing, distance control — rather than promising an off-leash reliability this breed was never bred to prioritize. And a fair amount of space is given to legitimate outlets for the nose and the dig, like structured scent games and a permitted digging spot, because a Dachshund with nowhere to point that instinct will usually just aim it at your flower beds or your baseboards instead.

None of this is about suppressing what makes this breed what it is. It's about giving a dog that was built to think for itself something worthwhile to think about.

One more piece of the design

Temperament is only half the story of why this breed needs its own playbook. Chapter 2 turns to the other defining trait — not in the head, but in the spine — and why the same long, low body that let a Dachshund disappear into a badger sett also shapes nearly every physical decision you'll make for this dog, from how you pick it up to whether it's allowed on the couch.

What to take from this chapter

1. Dachshunds were bred as independent, tenacious scent hounds that worked alone underground — the name literally means "badger dog," and the temperament traits you're living with are the job description, not a personality flaw.

2. “Stubborn” is better understood as tenacity mismatched to the wrong training approach. Heavy-handed correction tends to backfire; reward-based, consistent training works with the instinct instead of fighting it.
3. A powerful, ground-focused nose makes recall genuinely difficult to build reliably — plan around management (long lines, secure fencing) rather than expecting off-leash reliability by default.
4. Fearless confidence disproportionate to size is inherited working courage, not an attitude problem, and it responds best to calm structure rather than embarrassment or suppression.
5. Coat type and size loosely predict where a dog falls on the independence spectrum, but the individual dog in front of you matters more than the average.

6. Run the Sniff-and-Call Test to get a real read on your own dog's scent drive, rather than relying on generic breed assumptions.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden hind-leg weakness or paralysis, dragging its back feet, crying out when touched or picked up, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.

Built Long, Not Fragile





The warning every new owner gets

Somewhere in the first few weeks of owning a Dachshund, someone will tell you — a breeder, a forum thread, a well-meaning stranger at the vet's office — some version of "don't ever let him jump off the couch." Usually it arrives with no explanation at all, just a warning, delivered with enough weight that it sticks.

Built Long, Not Fragile

Most new owners end up half-anxious about a dog that seems perfectly fine, with no real sense of what they're actually protecting against or why.

Here's the explanation nobody gave you: it's IVDD, short for Intervertebral Disc Disease, and it's a direct physical consequence of the exact body shape that makes this breed a Dachshund in the first place. It isn't a disease your dog might catch, and it isn't a reason to treat your dog like something breakable. It's a fact of this breed's engineering, worth understanding properly once instead of half-hearing as a vague rule for years.

The shape that came from the same job

Chapter 1 covered the job — going underground after badgers, in tunnels barely wider than the dog itself. Short legs weren't a cosmetic choice; they were the whole point, the feature that let a Dachshund fit into a

burrow a longer-legged dog never could. The trait behind those short, slightly bowed legs has an actual name: **chondrodystrophy**, a form of inherited dwarfism that changes how cartilage develops throughout the body. Researchers have even traced it to a specific piece of DNA — an extra, inserted copy of a gene called **FGF4**, sitting on one of the dog genome's chromosomes (chromosome 12). It's the same trait, in other breeds and to other degrees, behind the short legs of a Basset Hound or a Corgi — both breeds that carry the same genetic insertion.

Chondrodystrophy doesn't limit its effect to the legs, though. It changes how cartilage develops everywhere in the body — including the discs that cushion the bones of the spine. That's the part almost nobody explains at pickup: the same genetics that gave your dog the low, long silhouette everyone falls in love with also changed the

material sitting between every one of its vertebrae.

What's actually different inside

Between each pair of vertebrae sits an intervertebral disc — a small cushion with a tough outer ring and a softer, gel-like center, working as a shock absorber every time the spine flexes, twists, or takes an impact. In most breeds, that gel-like center stays soft and pliable well into middle age. In chondrodystrophic breeds like the Dachshund, the material inside these discs tends to harden and lose its natural cushioning quality much earlier in life — a process that in other breeds is more of a slow, late-life wear pattern.

A disc with less give left in it is a disc more likely to bulge or rupture under the kind of ordinary strain a normal, pliable disc would simply absorb. When that happens and the disc presses on the spinal cord

running just above it, that's IVDD — and depending on where it happens and how severe it is, it can show up as anything from mild back pain to sudden hind-leg weakness or paralysis.





Why long plus short adds up to vulnerable

The discs themselves are only half of it. Picture the spine as a long beam supported at four points — the legs — spaced much closer together than the beam is long. Every additional vertebra between those support points is extra unsupported length carrying real weight and motion, and a Dachshund simply has more of that unsupported length relative to its leg base than almost any other breed shape. Ordinary movements that barely register in a longer-legged, more evenly proportioned dog — twisting to greet you at the door, jumping down from a sofa, rearing up on hind legs at a window — put more leverage through that long midsection, right at the discs that already have less cushioning capacity to begin with.

> **Neither the discs nor the proportions is the problem on its own. Together, they're why IVDD is discussed as thedefining health risk of this breed specifically, far more than it comes up in**

breeds with a more typical leg-to-spine ratio and typical disc aging.

This is not fragility – it's physics you can manage

It's easy to read all of this and start treating your dog like something that might break at any moment. That's the wrong lesson, and it isn't a kind one either – a Dachshund kept anxious, sedentary, and hovered over doesn't end up safer, just unhappier and often heavier, and extra weight is its own real strain on the same discs. The overwhelming majority of Dachshunds live long, playful, active lives with a spine that never gives them a moment's trouble. The real numbers back this up: even by the higher published estimates, IVDD affects about one in four Dachshunds at some point in their lives – a real, elevated risk worth taking seriously,

and also proof that most Dachshunds never experience it at all.

The honest takeaway isn't "be afraid." It's "know the physics, and adjust a handful of everyday habits accordingly." A few specific, low-effort choices — covered in full in the chapters ahead — meaningfully reduce cumulative strain over a lifetime, without turning your dog into a dog who isn't allowed to be a dog.

Not every Dachshund carries the same risk

Risk isn't identical across every dog of this breed, and a few real factors move the needle. Extra body weight adds direct load to a spine that's already working with less margin, which is exactly why keeping a Dachshund lean matters more here than it does for most breeds — enough that it earns an entire bonus guide of its own

later in this set. Individual body proportions vary too: some Dachshunds run longer and lower relative to their leg length than others, even within the same litter, and a more exaggerated ratio generally means less margin. One study that measured this ratio directly found the estimated probability of a disc injury climbed from roughly three in ten for a dog with a moderate back-length-to-height ratio to more than two in three for a dog at the long, low end of that same range — the same body type, just more or less of it. Age plays a role, since disc material continues to change over the years. And genetics from the individual dog's specific line matters in ways that aren't visible from the outside at all.

None of these factors are things you can fully control, and none of them are a reason to worry about a dog who's showing no symptoms. They're context for why two Dachshunds can live very similar lives and still land in different places, and why "just don't let him jump" as

a blanket rule, with no explanation behind it, never quite made sense as advice on its own.



The habits worth building now

The chapters ahead go deep on each of these individually — how to actually pick your dog up without

straining its back, how to manage stairs and furniture without turning your home into an obstacle course, how to keep weight in the healthy range without a fight at every meal. For now, here's the shape of what's coming, so you know why it matters before you get the details:

- **How you lift your dog** — supporting the chest and the hindquarters together, never scooping under the front legs alone, keeps the spine level instead of letting it sag mid-air.
- **Furniture and stairs** — it's less about a blanket ban and more about reducing the number of repeated jumps down over a lifetime, usually with a small ramp or step doing most of the work.
- **Weight** — the single most controllable factor in this entire chapter, and the subject of its own bonus guide in this set.

- **Harness over collar** – taking pressure off the neck during ordinary leash use, and giving you a better handling point for a long, low body generally.
- **Exercise that builds real core strength** – regular, moderate movement supports the muscles that help stabilize the spine; a sedentary dog isn't a protected dog.

Signs that need a vet call now, not later

A few signs are worth knowing regardless of how careful you've been, because IVDD can happen even with every precaution in place, and catching it early consistently makes a real difference. Reluctance to jump or climb that wasn't there before. Yelping or flinching when touched along the back, or when picked up in the usual way. A hunched posture, or a visibly arched back. Wobbliness, weakness, or crossing in the

back legs. Dragging a back paw, or knuckling under so the top of the foot scuffs the ground. Sudden reluctance to walk at all. Any loss of bladder or bowel control.

Any one of these is a same-day call to your vet, not a wait-and-see. This isn't a condition where home rest quietly fixes things on its own, and time genuinely matters for the outcome.

What this changes about the rest of this book

From here forward, this book treats your dog's spine as a real, load-bearing fact running through nearly every chapter, not a single scary topic covered once and then dropped. Handling technique, home setup, exercise planning, and weight management are all built around the anatomy explained here — not because this dog is fragile, but because a small number of consistent

habits, done without drama for the next decade or so, are what actually make the difference.

What to take from this chapter

1. IVDD is a direct consequence of chondrodystrophy — the same inherited trait that gives Dachshunds their short legs also changes how their spinal discs age, and it does so earlier than in most other breeds.
2. A long spine supported by short legs adds mechanical strain on top of that disc vulnerability — the two factors compound each other.
3. This is a reason for specific, manageable daily habits, not for anxious over-restriction. A sedentary, overweight, or constantly stressed dog isn't a safer dog.

4. Real risk factors include body weight, individual body proportions, age, and genetics — none of them fully controllable, all of them context rather than cause for alarm in a healthy dog.
5. Lifting technique, furniture and stair management, lean weight, and harness use are all covered in depth in later chapters — this chapter is the reason those habits exist, not the full instructions.
6. Sudden hind-leg weakness, yelping when touched, dragging a paw, or any loss of bladder or bowel control are same-day vet calls, not wait-and-see situations.

Chapter 3 moves from why this dog's spine matters to the foundation skills — the small set of everyday habits that make daily life with this dog, and protecting that spine, come together naturally instead of feeling like two separate jobs.

Built Long, Not Fragile

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden hind-leg weakness or paralysis, dragging its back feet, crying out when touched or picked up, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.





A hound, not a retriever

If your last dog was a Labrador or a Golden Retriever, drop the playbook you built with that dog right now. Those breeds were shaped over generations to check in with a person, to look up for direction, to treat a stranger's outstretched hand as an obvious good thing. A Dachshund was shaped to do the opposite. She was

bred to go down a tunnel alone, track a scent without anyone telling her which way to turn, and make her own call about a badger she couldn't see. Independence isn't a personality quirk you're up against — it's the job description.

> **That matters for how you spend your first weeks together. A dog bred to please will often hand you her trust just for showing up with food and a soft voice. A Dachshund makes you earn it, and she keeps notes. She's watching whether your hands are predictable, whether you back off when she asks you to, whether being picked up feels safe or feels like something happening to her. None of that is defiance. It's a working dog's brain doing exactly what it was built to do — assess first, commit later.**

Building Trust

The good news is that once a Dachshund decides to trust you, it tends to run deep and stay put. You're not fighting an uphill battle forever. You're just starting from a different place than the golden-retriever owner down the street, and the first few weeks are where that foundation gets laid.

One owner who nearly gave up on a needy, easily-overwhelmed dachshund puppy put the arc plainly: "It took him getting to about 8 months that we really could see ourselves with him in the future… it does get better. Try to keep your mind and heart open – you might not get the dog you want, but learn to love the dog you got." Eight months isn't a slow start or a failed bond. For an independent hound working out whether a person is worth trusting, it's closer to normal.

Let her set the pace in the first weeks

Resist the urge to make the first few days a festival of cuddles, introductions, and photo opportunities. A new home is already a lot to process — new smells, new sounds, no familiar dog bed, no littermates. Piling social pressure on top of that doesn't speed up bonding; it usually slows it down.

Give her a home base — a crate, a bed, or a corner of a room that's hers — and let her retreat there without anyone following. Sit on the floor near her rather than looming over her or scooping her up the moment she wanders close. Let her come to you and sniff your hand before you touch her, the same courtesy you'd extend to a shy person rather than a dog who's obligated to enjoy attention on your timeline.

This is also where over-eager kids or visiting relatives can do real damage without meaning to. A five-minute rule works well in the beginning: anyone new gets five minutes of the dog approaching them, not the other

way around, before any petting happens. It feels slow. It isn't – it's usually the fastest route to a dog who actually wants to be near people rather than one who's learned to tolerate them.





Learning to read what she's telling you

A Dachshund who isn't ready for contact will usually tell you well before she growls or snaps, and most of the signals are quiet. A stiff, still body instead of a loose, wiggly one. Ears pinned back rather than relaxed. A tucked tail, a turned head, a slow retreat under a chair. Yawning or lip-licking when nothing is tired or nothing is on her mouth — both are classic stress signals across almost every breed, not just this one.

The single most useful habit you can build in these early weeks is stopping the moment you see any of that, rather than pushing through because "she'll get used to it." A growl is not a behavior problem to correct — it's information, and it's a lot better than the alternative of a dog who's learned that growling gets punished, so she skips straight to a snap next time. If a growl happens, back off, lower the pressure, and figure out what triggered it. You want her to keep telling you these things in the mildest form available, not learn that

the only signal that works is the last one.

Handling that builds trust instead of wearing it down

How you pick her up matters for more than comfort — a long back over short legs is naturally more vulnerable at the spine, and the habits you set now around lifting and handling are ones you'll want to keep for her whole life, not just while she's small. But it's worth knowing this now for another reason too: how she's handled is one of the fastest ways trust is built or lost.

Support her properly every time — one hand or arm under her chest, the other under her hindquarters, bringing her body up level rather than dangling from the front legs or scooped up by the belly alone. Lift her close against your body rather than holding her out at arm's length, and set her down the same deliberate

way you picked her up, rather than dropping the last few inches. Done consistently, this becomes a non-event for her — hands appear, support arrives predictably, she goes back down the same way. Done carelessly, every pickup becomes a small unpredictable event, and a dog who doesn't trust being handled will start avoiding hands altogether, which makes everything from nail trims to vet visits harder later.

Practice this outside of moments when you actually need to move her — a few calm, low-stakes pickups a day, paired with a treat, teaches her that hands reaching for her body predict something good rather than something to brace against.

Introducing her to new people on her terms

Most Dachshunds are genuinely wary of strangers, and that wariness is normal for the breed rather than a sign

something's wrong with your particular dog. Treat new-person introductions as something to manage rather than something to push through.

Let visitors ignore her at first — no leaning down, no reaching, no baby-talk voice aimed straight at her. A stranger who tosses a treat on the floor and keeps talking to you, rather than to the dog, gives her room to approach at her own pace and investigate without pressure. If she chooses to come closer and sniff a hand, that's her decision and it should stay that way; picking her up to "introduce" her to someone removes the choice entirely and often backfires.

Some Dachshunds warm up to new people in one visit. Others take repeated calm exposures over weeks. Both are normal. What matters is that every interaction ends with her feeling like she had a say in it.





The games that actually build a bond with a hound

Fetch works for plenty of dogs, but a scenthound often finds a nose game far more rewarding than a repeated retrieve. Hide a few treats around a room and let her hunt them out. Lay a short trail of treats across the floor for her to follow nose-down. A snuffle mat, a muffin tin

with treats under tennis balls, or a cardboard box with holes cut in it and treats scattered inside all tap into exactly the instinct she was bred around, and dogs tend to bond fastest with people who reliably produce the activities they find most satisfying.

Short, gentle tug — with clear start and stop cues — is another one many Dachshunds love, and it doubles as an easy way to practice a reliable "drop it" and a release word. Keep sessions brief and let her win sometimes; a game she never wins isn't much of a game.

Trust mistakes that are easy to make early

A few patterns quietly undo weeks of good work. Forcing prolonged eye contact or holding her face still to make her "accept" affection reads as confrontation to a dog, not bonding. Cornering her in a crate or a

small space to pick her up because she's resisting teaches her that resistance is pointless rather than that hands are safe. Punishing a growl teaches her to skip the warning. And chasing her around a room because she doesn't want to be picked up right now turns handling into a game she's trying to win by staying out of reach — the opposite of what you're after.

None of these are dramatic mistakes. They're small, well-intentioned moments that add up, and they're also easy to avoid once you know to watch for them.



What to take from this chapter

1. A Dachshund's independence is bred-in, not a training failure — trust here is earned through consistency, not enthusiasm.
2. Let her approach people and set the pace of contact in the first weeks rather than pushing interaction on your timeline.

3. Learn her quiet stress signals — stiff body, pinned ears, tucked tail, turning away — and respond to those before a growl becomes necessary.
4. Never punish a growl; it's communication, and losing it as an option only pushes her toward more serious warnings.
5. Support her properly on every pickup — chest and hindquarters, never dangling — since consistent handling protects both her comfort and her long back.
6. Nose games and short tug sessions tend to build a faster bond with a scenthound than repeated fetch.
7. Avoid cornering her, forcing eye contact, or chasing her to pick her up — all three quietly erode the trust you're building.

Chapter 4 turns this early trust into a daily rhythm — the predictable structure that keeps an independent hound

settled and cooperative instead of negotiating with you over every meal and walk.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden back pain, reluctance to move or jump, yelping when touched or picked up, wobbliness or weakness in the back legs, dragging or knuckling a paw, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.

Calm Daily Routines





Why predictability matters more for this breed

Dachshunds have a reputation for being stubborn, and there's truth in it – but "stubborn" is often just what independence looks like when a dog isn't sure what's supposed to happen next. A breed built to make its own decisions underground doesn't default to waiting patiently for instructions the way a dog bred to work

alongside a handler might. Left to fill in the gaps herself, she will, and the results — barking to demand a meal, refusing to settle at bedtime, treating every walk as a negotiation over which direction to go — usually trace back to a day that doesn't have a clear shape.

A predictable routine isn't about control for its own sake. It's information. A dog who knows breakfast comes after the morning walk, that a certain corner of the kitchen means "settle," and that a specific cue means the day's activity is over, spends far less energy testing and guessing. That's calmer for her and considerably easier for you.

It's the exact question one prospective owner asked before even bringing a puppy home: "What's one thing you did or wish you did from the start while they were young?" There's no single trick that answers it — the closest thing to one is everything in the rest of this chapter: a day she can predict, built before the

guessing habits described above ever get the chance to form.


The simple shape of a calm day

You don't need a rigid, minute-by-minute schedule — you need three or four anchor points that happen in roughly the same order every day, at roughly the same times. Something like: a morning potty break and short walk, breakfast shortly after, a quiet middle stretch of the day with a nap and maybe a short training or sniffing session, an afternoon or evening walk, dinner, and a wind-down period before bed.

The exact times matter far less than the order and the consistency. A dog who can predict "walk happens, then food happens" settles into the gaps between those events instead of pacing or vocalizing through them, because she isn't spending that

time wondering if either is coming at all.





Feeding on a schedule, not on demand

Two set mealtimes a day, at consistent times, beats free-feeding or feeding whenever she asks for it. Free access to food removes one of the clearest daily

landmarks she has, and demand-feeding — giving in when she paces the kitchen or stares at the pantry — teaches her that enough persistence moves mealtime earlier, which is a lesson that generalizes to everything else she wants.


Consistent portions matter here for a second reason beyond routine. A Dachshund's long back carries weight differently than a dog built on more conventional proportions, and even a small amount of extra weight adds real strain to a spine that's already working with short legs and a long torso. Measuring food rather than eyeballing it, and resisting the urge to round up "just a little" at every meal, is one of the simplest things you can do for her long-term comfort — and it's a habit that's much easier to hold from the start than to correct once weight has crept on gradually.

Walks as routine, not a daily negotiation

A walk that happens at a similar time and covers a familiar route gives her something to look forward to rather than something to campaign for. Dogs who don't know when or whether a walk is coming tend to escalate — whining, scratching at the door, barking at the leash hook — because uncertainty makes dogs pushier, not calmer.

How you walk matters as much as when. A loose leash and a steady pace, rather than a leash that snaps taut every time she lunges toward a smell or another dog, keeps sudden jarring pressure off a body where the neck and back are connected by that same long spine. Build in real sniffing time rather than marching her past every interesting smell at a fixed pace — a scenthound who gets to actually use her nose on part of the walk tends to come home calmer than one who was hurried through the entire thing, and a relaxed

walker pulls far less than a frustrated one.





The furniture habit worth changing from day one

Almost every new Dachshund owner watches their dog launch off a sofa or bound down from a bed in the first

week and thinks nothing of it — it looks like ordinary dog behavior. But that repeated jump, landing on a long spine over short legs, is exactly the kind of daily habit worth rethinking from the very start rather than something to "deal with later once she's settled in." The earlier a habit is prevented, the easier it is — a dog who has never learned that jumping off the couch is an option doesn't have to unlearn it.

A ramp or a set of pet stairs next to the sofa and the bed solves most of this quietly. Introduce it in the first days, before the couch has become a familiar launch pad, and reward every use of it generously so it becomes the obvious route rather than a substitute she has to be talked into. For furniture she's already on, teach a simple "wait" at the edge and lift her down yourself using the two-handed support from Chapter 3, rather than letting her leap while you're still deciding whether to intervene. If she's not allowed on furniture

at all, decide that on day one and hold the line consistently — a rule that applies "except when I'm tired of enforcing it" never actually becomes a rule.

This is a habit that's genuinely easier to install now than to retrain in a year, and it costs almost nothing to set up correctly from the start.

An evening wind-down that actually settles her

The last twenty or thirty minutes before bed set the tone for how easily she actually falls asleep. A predictable sequence — final potty break, a calm few minutes together, into the crate or bed, lights down — teaches her body that these steps mean sleep is next, the same way a person's own bedtime routine cues their brain to wind down.

Avoid a burst of exciting play or an over-tired second walk right before bed; both can leave her wired rather than settled. A stuffed chew or a slow-release treat in the crate at this time gives her something calm to do with her mouth and her attention while she settles, rather than lying there listening for the next interesting sound in the house.


Keep the sequence itself boring, on purpose. The value isn't in any single step — it's in doing the same handful of steps in the same order often enough that her body starts downshifting before you've even reached the crate. If the routine changes every night depending on who's home or what's on television, that predictive value disappears and you're back to a dog who takes longer to settle because there's nothing reliable to settle into.

What a calm household actually looks like from her side

It's worth stepping back and noticing what all of this adds up to. From a Dachshund's point of view, a well-run daily routine means she's rarely surprised. She knows roughly when food shows up, when the walk happens, when people are around and when the house goes quiet, and when jumping off something tall simply isn't part of how her day works because a ramp has always been there instead. None of that requires strict schedules kept to the minute or a household that revolves around the dog — it just requires the same handful of decisions being made the same way, day after day, until she stops needing to ask.

That's a different kind of calm than a tired dog collapsing after a long walk. It's a dog whose nervous system isn't spending effort guessing what happens next, which tends to show up as less barking at ordinary

sounds, less pacing before mealtimes, and an easier time settling once the day's activity is done.



Routine mistakes that undo the work

A few habits quietly break the predictability you're building. Skipping the walk on a busy day and then

doing a longer one to compensate the next teaches her that the schedule is negotiable, not that today was unusual. Feeding early because she's insistent, even once, teaches her that insistence works. Letting her up on the furniture "just this once" during the settling-in period — a tired evening, a favorite guest — resets the couch habit right back to where it started. None of these single incidents are disasters on their own, but a routine only works because it's consistent, and consistency is the first thing that erodes when an exception feels harmless in the moment.

What to take from this chapter

1. A predictable daily shape reduces the guessing that drives a lot of "stubborn" behavior in an independent breed.


2. Three or four consistent anchor points — morning routine, meals, walk, wind-down — matter more than exact clock times.
3. Feed on a set schedule rather than on demand, and measure portions consistently — extra weight adds real strain to a long spine.
4. Walk at a steady pace on a loose leash, with real sniffing time built in, rather than marching or letting her lunge and pull.
5. Prevent the jumping-off-furniture habit from day one with a ramp or steps, rather than planning to retrain it later.
6. Build a short, consistent evening sequence so her body learns to wind down before bed rather than staying wired.

7. Guard the routine against “just this once” exceptions – those are what quietly undo the consistency the whole approach depends on.

Chapter 5 builds on this same predictable rhythm, turning to toilet training and marking – two problems that get much easier to solve once the rest of her day already runs on a schedule.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden back pain, reluctance to move or jump, yelping when touched or picked up, wobbliness or weakness in the back legs, dragging or knuckling a paw, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.





Two problems that look identical and aren't

Chapter 4 built the daily rhythm that keeps an independent hound settled — and toileting is where that rhythm gets tested hardest, because a puddle by the back door and a small squirt on the leg of the side table can look like the same failure from across the room. They aren't. One is incomplete housetraining: a

full bladder emptied because nobody caught the signal in time. The other is territorial marking: a small, deliberate amount aimed at a vertical object, left as a scent signal rather than relief. Treating the second one like the first — more trips outside, tighter schedule — fixes nothing, because the dog wasn't holding it in the first place. This chapter handles both, starting with the one most owners meet first.

Why this breed takes real, patient work to housetrain

A Dachshund wasn't shaped to check in with you the way a retriever was. She was bred to go underground alone and make her own calls, and that same independence shows up at toilet time — a scent hound investigating the yard is often more interested in what's already there than in the business she came out to do.

None of that means she's untrainable. It means the schedule has to carry the weight, not her enthusiasm to get it right for you.

Weather adds a second wrinkle unique to her build. A long, low body means belly, chest, and legs all brush wet grass that a taller dog's would clear, so a cold, dew-soaked lawn is a genuinely bigger deal for her than for most breeds — and a dog who's miserable the moment she steps outside will often rush back to the door without finishing. If you're setting up an indoor option for bad weather or apartment living, choose a tray or turf pad with a low, flat entry rather than one with a raised lip — a dog this long shouldn't need to hop in and out of her own toilet spot several times a day, and a low-entry tray also avoids planting the daily habit of tiny jumps you'll spend the rest of this book trying to talk her out of elsewhere in the house.


The schedule that actually does the work

Fixed times, not just watching for signals. After waking, after every meal, after active play, and roughly every couple of hours in between for a young puppy, stretching gradually as she matures. A schedule prevents the accident before it happens instead of reacting to a signal you might miss entirely.

The same spot outside, every time, at first. The scent of previous successful trips does real work here — it tells her this exact patch of ground is where toileting happens, which speeds up learning far more than a fresh patch each time.

Reward within seconds, while you're still outside. Praise and a treat delivered the instant she finishes, before you head back in, connects the reward to the act itself. Wait until you're back at the door and you've just taught her that coming inside is what earns the treat.

Supervise or confine – there's no in-between. During the learning phase she's either directly watched, where you can catch the early signs, or confined to a small, easily cleaned space where a slip is inconvenient rather than the start of a habit. Free run of the house before this is solid is how a few easy weeks turns into a few frustrating months.





Reading the signals before they become accidents

Watch for a sudden pause in play, circling or sniffing in one spot, or simply wandering off toward a quiet corner or another room. Any of these, acted on with an immediate trip outside, heads off far more accidents than waiting for the more obvious sit-by-the-door cue that some dogs never reliably give.

If a solidly housetrained dog suddenly backslides

A dog who's been reliable for months and starts having accidents again is telling you something, and it's rarely "forgot the training." Sudden regression — especially alongside straining, frequent small amounts, blood in the urine, or noticeably increased thirst — is a common presentation of a urinary tract infection or another

medical issue, not a behavioral relapse. Treat unexplained regression as a vet visit first and a training refresher second.

When you do find a mess after the fact, clean it thoroughly with an enzymatic cleaner made for pet accidents. Ordinary household cleaners can leave a scent trace a dog's nose still picks up, which quietly draws her back to the same spot.

What territorial marking actually is

Marking looks different from a full toileting accident once you know what to look for: a small amount, aimed at something vertical — a table leg, a doorframe, a guest's bag — often with a leg lift or a handstand-style raised-leg posture, rather than the ordinary squat used for a full, empty bladder. It's scent communication, not a bathroom failure, and it shows up in intact males most

often but is far from exclusive to them — neutered males and females of this breed mark too, particularly ones with a strongly territorial streak, which describes a fair number of Dachshunds.

Common triggers are worth knowing because they point straight at the fix: a new pet or baby in the house, a houseguest, another dog's scent carried in on shoes or a dropped bag, or a clear view out a low window to dogs, cats, or wildlife passing outside that she feels the need to answer.

Talk to your vet about whether neutering fits your dog and situation — it often reduces the drive to mark, but it doesn't guarantee it stops in a dog that's already built the habit, particularly one neutered as an adult rather than a puppy. It's one tool among several here, not a guaranteed fix on its own.

Fixing indoor marking, step by step

Interrupt without drama, then redirect. A cheerful, neutral interrupt — a clap, a quick "let's go" — followed by an immediate trip to her actual toileting spot, teaches her where the behavior belongs without turning it into a confrontation.

Block the view that's setting her off. If marking clusters near a particular window, close the blinds or add frosted window film at nose height for a few weeks while you work on the rest of this list. Removing the trigger is often faster than trying to train through it.

Manage new-smell objects before they hit the floor. Let her sniff a guest's bag or a grocery delivery under supervision for a moment before it gets set down and left unattended — most marking of new objects happens in the first minute they're in the house.

Toilet & Marking Fixes

Use a belly band as management, not a fix. A washable belly band on a male dog contains an in-progress lift while you retrain, but it doesn't teach anything on its own — pair it with the steps above rather than relying on it indefinitely.

Keep her leashed to you indoors for a stretch. A short house line clipped to your belt for a few days lets you catch the very first sniff-and-lift posture and interrupt before the behavior completes, which is far more effective than cleaning up after the fact.

Clean every marked spot with an enzymatic cleaner. The same logic from the accidents section above applies here — any lingering scent is an invitation to mark the same spot again.



Marking on walks is a different conversation

Scent marking outdoors, on a walk, is normal communication between dogs and not the same problem as marking indoors — there's no need to correct it the way you would inside your own home. If she wants to stop at every third post, though, that's a walking-pace problem worth solving on its own terms.

Try a brisk first stretch of the walk with limited stopping, followed by a clearly signaled “free sniff” break partway through where she can investigate and mark as she likes. This gives her the outlet without turning every walk into a stop-and-start crawl down the block.

What to take from this chapter


1. Tell accidents and territorial marking apart before you try to fix either — a full bladder emptied in one place is not the same problem as a small amount deliberately placed on something vertical.
2. A fixed schedule, a consistent outdoor spot, and rewarding within seconds do more work than her willingness to cooperate ever will.

3. Choose a low-entry indoor tray if you use one — a long-backed dog shouldn't be hopping in and out of her own toilet spot daily.
4. Sudden regression in a previously reliable dog is usually medical, not behavioral — see your vet before assuming a training relapse.
5. Marking is scent communication, not a bathroom failure, and it isn't limited to intact males — ask your vet whether neutering is a reasonable piece of the plan for your dog.
6. Fix indoor marking by blocking the trigger, managing new-smell objects, and catching the behavior early with a house line, not by punishing after the fact.
7. Marking on walks is normal and doesn't need correcting — manage the pace instead with a brisk stretch followed by a dedicated sniff break.

Toilet & Marking Fixes

Chapter 6 moves from the bathroom to the bedroom – building a crate and sleep routine that gives her a genuine safe space, and setting up the resting spots in your home so she's never tempted into the kind of daily jump that a long back and short legs simply weren't built for.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden back pain, reluctance to move or jump, yelping when touched or picked up, wobbliness or weakness in the back legs, dragging or knuckling a paw, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.





A den dog settles into a crate faster than most

A Dachshund was bred to go underground, curl into a tight tunnel, and feel safest enclosed rather than exposed — which means a crate, introduced properly, tends to click with this breed faster than it does with more open-country dogs. That's a genuine advantage worth using rather than a cage to feel guilty about.

Done right, a crate becomes the one place in the house that's entirely hers: nobody's chasing her into it, nobody's reaching in to grab her, and nothing bad ever happens there. A dog with a spot like that settles faster everywhere else too.

Setting up a crate that actually works for her build

Size it so she can stand without stooping, turn around fully, and lie flat out on her side — not a doghouse she's cramped in, and not so cavernous that one end becomes a toilet corner she keeps separate from the sleeping end. A wire crate with a divider panel lets you size it correctly for a growing puppy without buying twice.

Choose a model with a low, flat entry rather than a high plastic lip to step over. It's a small detail, but a dog this

long shouldn't be hopping over a threshold every time she goes in or out of her own bed, any more than she should be hopping into a toilet tray — small, repeated jumps add up over a lifetime, and a crate is one of the easiest places in the house to simply build the habit out from the start.

Line it with a supportive mat rather than a thin, slippery liner. A young, healthy dog doesn't need an orthopedic bed specifically, but a surface with some real cushioning and grip is a reasonable default for a dog whose spine carries weight differently than a squarer-built breed's does, and it beats bare plastic or a liner that slides every time she shifts position.

Introducing the crate without a single bad experience in it

Start with the door open and no expectation attached. Toss treats inside for her to find on her own terms, feed a meal or two in there with the door still open, and let her wander in and out freely for the first several days. Once she's choosing to go in on her own, start closing the door for a few seconds at a time while you're sitting right there, opening it again before she has any reason to fuss, and stretch the duration gradually from there over days, not hours.

Never use the crate as a punishment, and never rush this step because a schedule says you should be further along by now. A crate she was pushed or startled into even once can undo weeks of otherwise careful work, and rebuilding that trust takes far longer than building it right the first time would have.

The first nights

Expect some crying the first few nights — it's a normal response to a genuinely new experience, not a sign something's wrong. Placing the crate beside your bed for the first week or two, rather than in another room entirely, gives her the reassurance of your presence and breathing nearby without you needing to get up and intervene every time she stirs.

One new owner described that first week bluntly: "My 12-week-old miniature dachshund barks nonstop whenever I leave, even if it's only for one minute… I honestly feel like I've made a huge mistake." That reaction is common enough in week one to expect rather than read as a verdict on the dog or the decision — it's the alarm of a very young animal that hasn't learned yet that "gone a minute" and "gone for good" feel different. The way through it is exactly the small, repeated absence-building described above, not a bigger response to what feels like a bigger problem.

For a young puppy, factor in an actual middle-of-the-night bathroom trip using the same calm, no-play approach from Chapter 5 — straight out, straight back, minimal fuss — rather than assuming every bit of nighttime fussing is just settling in. As her bladder matures, the schedule from that chapter stretches, and so does her ability to make it through a full night undisturbed.





Building overnight independence, gradually

Once nights are reasonably settled, start moving the crate a little farther from your bed every few nights if the long-term plan is for her to sleep elsewhere in the house — the hallway, then the room where the crate will permanently live. Move it in small enough steps that she barely notices the difference each time, rather than

relocating it across the house in one go and expecting the progress you built to hold.

The furniture question, and why it matters more for this breed

Most Dachshund owners eventually face the same decision: allow her on the sofa and bed, or don't. There's no wrong answer here, but however you decide, the daily habit of jumping up and down on her own is the part worth eliminating either way. A long back over short legs means the spine absorbs real, repeated force every time she launches off a sofa cushion or a bed frame, and vets who see a lot of this breed tend to flag exactly that kind of daily, cumulative jumping — not one dramatic fall — as a habit worth minimizing well before it ever becomes a problem. This book's companion guide,

> **The Spine & Disc Protection Plan, covers the full room-by-room prevention plan; what matters here is building the habit into her everyday resting routine.**

If she's allowed on the furniture, a pet ramp or a set of two or three low, wide steps positioned at a gentle, consistent angle against the sofa or bed gives her the same access without the launch or the landing. Train it the way you'd train anything else: lure her up with a treat held just ahead of her nose, reward at the top, then lure her back down the same way rather than letting her jump off the far side once she's up there — a ramp that only solves half the trip solves half the problem.

If she's not allowed on the furniture,a supportive dog bed at floor level, placed near wherever the household actually spends its evenings, gives her the same

comfort and closeness with zero jump risk in either direction. Either choice works. What doesn't work is leaving the door open to daily jumping while meaning to deal with it "eventually."



One consistent standard across every resting spot in the house

By now the crate has a low entry, the floor bed needs no jump at all, and the sofa or your bed has a ramp instead of a launch. That's not three separate fixes — it's one standard applied everywhere she sleeps or rests, so the habit she's building is "I don't jump to get comfortable," full stop, rather than a rule that only applies in some rooms and not others. Dogs generalize a consistent standard far faster than an inconsistent one, and a spine that never has to absorb a daily jump is doing less cumulative work than one that avoids it in the bedroom but not the living room.

Where the crate should permanently live

A quiet corner of a bedroom or a low-traffic part of a family room both work well, as long as the spot stays

consistent once you've settled on it — moving a crate around the house regularly undoes some of the "this is always my safe place" value that made it worth training in the first place. Avoid direct sun through a window and any spot near a heating vent or a busy walkway where she'll be disturbed every time someone passes through.

What to take from this chapter

1. A Dachshund's instinct to den makes crate training a genuine advantage with this breed — introduce it slowly and it tends to click faster than expected.
2. Size the crate so she can stand, turn, and lie flat, and choose a low, flat entry rather than a lip to hop over.

3. Build the crate association with an open door, scattered treats, and meals inside before ever closing the door — never use it as punishment.
4. Expect some crying the first few nights; a crate placed near your bed initially, then moved gradually, eases the transition without undoing the training.
5. However you decide on furniture access, eliminate the daily jump either way — a ramp or steps for furniture she's allowed on, a floor-level bed if she isn't.
6. Apply the same no-jump standard to every resting spot in the house — crate, bed, and sofa alike — rather than solving it in one room and not another.
7. Keep the crate's location consistent once you've chosen it, away from direct sun, heat vents, and heavy foot traffic.

Crate & Sleep Training

Chapter 7 moves outdoors, into the walks and exercise routine that keeps her fit, engaged, and — just as importantly for a dog built the way she is — moving in ways that work with her spine rather than against it.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden back pain, reluctance to move or jump, yelping when touched or picked up, wobbliness or weakness in the back legs, dragging or knuckling a paw, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.





Why the leash is part of spine care, not just manners

Most leash advice focuses on manners: a dog that doesn't drag you down the street, doesn't lunge at every squirrel, walks politely past other dogs. All of that still applies here. But for a dog built the way this one is — a long back suspended between four short legs, with

comparatively little muscle and cushioning protecting the disks between each vertebra — how a leash is used isn't just a training question. A hard jerk on a collar, a dog hitting the end of a taut leash at a dead run, a sudden twist to face something behind it: each of these sends a jolt of force straight through the spine. None of that looks dramatic in the moment, and it usually isn't, on any given walk. But this is a breed where the accumulation of small, repeated jolts matters more than it does for most dogs, and leash handling is one of the few places where you have almost complete control over how many of those jolts your dog experiences.

None of this means walks become fraught or restrictive. It means choosing the right equipment and training a genuinely loose leash, so pulling — and the sudden corrections that usually follow it — stops being part of your daily routine at all.

Gear first: a harness, not a collar

A collar concentrates any sudden force at the neck. A harness spreads that same force across the chest and shoulders instead. Choose a snug, well-fitted flat harness that clips at the back rather than the front — a back clip sits directly above your dog's center of gravity, so a sudden pull tends to slow the dog in a straight line rather than swinging or twisting its body sideways. Check the fit the way you'd check a pair of shoes: two fingers should slide flat under every strap, the chest strap shouldn't ride up into the armpits, and nothing should rub or restrict the shoulders when your dog moves at a full stride.

Skip the retractable leash entirely. The mechanism is built around your dog reaching the end of the cord at speed and being stopped abruptly — precisely the kind of sudden jolt this chapter is about avoiding. A standard four-to-six-foot leash, fixed length, gives you

consistent, predictable control and never lets your dog build up speed before running out of leash to do it in.

Teaching a loose leash without a single correction

You don't need to jerk a leash to teach a dog not to pull it tight. You need to make walking near you consistently more rewarding than pulling ahead.

1. Start indoors or in a quiet, low-distraction spot. Hold a treat at your side, take one step, and reward your dog for staying near your leg as you move.
2. Build up the number of steps between rewards gradually — two steps, then five, then ten — always rewarding at your side, never in front of you, so your dog learns that position pays.

3. The instant the leash goes tight, stop walking completely. Say nothing, don't pull back, just stand still like a tree until the leash goes slack again on its own — your dog stepping back toward you, or simply pausing to check what happened. The moment there's slack, mark it and reward, then continue.
4. Repeat the stop-and-reward pattern every single time the leash tightens, across many short walks, rather than saving it for one long session. Consistency here matters more than any individual walk.

This teaches the same lesson a leash correction is meant to teach — don't pull — without ever putting sudden force through your dog's spine to do it.

What to do when your dog pulls anyway

Every dog pulls sometimes, especially early in training or when something exciting shows up ahead. The response that protects your dog's back is the same stop-and-wait pattern from above, used consistently rather than escalated. If stopping isn't cutting through the excitement, turn and walk the other direction instead — a calm about-turn redirects your dog's attention and resets the pace without any backward yank on the leash. What to avoid is any kind of leash pop, sharp correction, or physical repositioning that involves pulling your dog's body suddenly in a new direction. It's a fast habit to fall into when a walk feels like a tug-of-war, and it's exactly the kind of force this breed's spine handles worst.





Meeting other dogs without a tug-of-war

Leashed greetings between two dogs can turn into exactly the kind of physical roughhousing — spinning, jumping, wrestling against tight leashes — that puts real torque through a long spine. Keep initial greetings short: a few seconds of sniffing, then call your dog away before things escalate into play. If another dog

approaches at speed wanting to wrestle or body-slam into a greeting, it's fine to step between the dogs, turn your dog's body away, and create distance rather than letting the interaction run its course. This isn't about being unfriendly — it's about not letting a two-second decision by an excited stranger's dog turn into an afternoon at the vet.

If your dog does get along well with a particular playmate and genuine off-leash play is appropriate, save the running and wrestling for a secure, flat, open space without a leash involved at all — a leash caught underfoot or wrapped around two dogs mid-play is its own separate hazard on top of the spine concern.

Meeting people who want to pet a "hot dog"

This breed draws attention on walks, and a lot of that attention arrives at ankle height, fast, from someone

who wants to scoop your dog up or bend down and grab it under the arms mid-stride. Neither is a great idea for a long-backed dog that hasn't braced for it. A simple, friendly script covers most situations: ask people to crouch down and let your dog approach them, rather than reaching down or picking your dog up themselves. Most people are happy to follow a clear, cheerful instruction — "she loves attention, just let her come to you" — and it removes the risk of an untrained stranger handling your dog's body in a way you wouldn't.

Getting in and out of the car

Car trips start and end with exactly the kind of movement this chapter is training away from: a dog leaping down from height, landing hard, twisting to orient itself. Lift your dog in and out of the car instead

of letting it jump, supporting the chest and hindquarters together so the spine stays level throughout the lift, the same way you'd support a human infant rather than picking them up by one limb. A dog that's used to being lifted will typically wait calmly at the edge of the seat for you to do it, once the habit is established early and reinforced consistently.



Curbs, steps, and uneven ground

Curbs, staircases, and uneven trail terrain all ask a long-backed dog to do something a flat sidewalk doesn't: change elevation in a single stride, which means jumping down, catching itself, or twisting to navigate a gap. On a walk, slow down and let your dog take steps and curbs at a controlled pace rather than hopping down at speed — a loose leash and a calm walking rhythm naturally encourage this, since a dog moving slowly beside you has time to place its feet rather than launching off a step. On rougher terrain, watch the ground a stride or two ahead of your dog the way you would for a young child, and steer around anything that would require a sudden jump or an awkward twisting landing.

What to take from this chapter


1. A well-fitted, back-clip flat harness protects the spine far better than a collar, and a fixed-length leash avoids the sudden jolt built into retractable ones.
2. Loose-leash walking is taught by rewarding position at your side and stopping when the leash tightens — never by correcting or jerking the leash.
3. Keep leashed greetings with other dogs brief, and save real play for a secure, flat, leash-free space.
4. Ask strangers to let your dog approach them rather than reaching down or scooping your dog up themselves.
5. Lift your dog in and out of the car rather than letting it jump, supporting the chest and hindquarters together.
6. Slow the pace on curbs, steps, and uneven ground so your dog can place its feet rather than jumping or twisting to keep up.

Leash & Outdoor Skills

Chapter 8 turns from the leash to the training that happens off it: how to build real focus and reliable obedience in a dog whose instincts were bred for following a scent underground, not for looking to you for instructions.

This guide is educational and is not a substitute for veterinary care. A dog that suddenly yelps, refuses to move, drags its back legs, knuckles over on a paw, or loses control of its bladder or bowels needs emergency veterinary attention immediately — these are signs of a spinal emergency, not something to wait out at home.





Why “alpha” training doesn’t work on a scent hound

This breed wasn’t bred to watch a handler’s face for instructions. It was bred to go underground alone, follow a scent to the end of a tunnel, and make its own decisions once it got there — traits that make for a genuinely independent-minded dog, and a dog that

doesn't respond well to training built around dominance, corrections, or "showing it who's boss." Force-based methods tend to produce a dog that shuts down, avoids you, or digs in and gets more stubborn, not one that's more obedient. Worse, physical corrections — leash pops, scruff grabs, being pinned down — carry exactly the spine risk covered throughout this guide, on top of being poor training in the first place.

What actually works with this kind of independent, nose-driven temperament is motivation: making the behavior you want more rewarding than whatever your dog would otherwise be doing. Food, sniffing opportunities, and access to something interesting are all currency this breed understands natively, because they map directly onto what it was bred to want. Obedience training here isn't about control. It's about making yourself the most

interesting, most reliably rewarding option in the room.

Start with a name that means something

Before any formal cue, your dog's name should reliably mean "look at the person who just said this." Say your dog's name in a normal tone, in a low-distraction setting, and the instant your dog's head turns toward you, mark the moment with a word like "yes" and deliver a treat. Repeat this often, in short bursts, across different rooms and situations, gradually adding mild distractions once the response is solid. A dog that hasn't been taught this treats its own name as background noise; a dog that has treats it as the most reliable predictor of good things happening.

Watch me: the foundation of focus

Once the name response is solid, build on it with a "watch me" cue — holding a treat up beside your own eyes and rewarding your dog for making brief eye contact with you rather than staring at the treat. This single skill underpins almost everything else in this chapter: a dog that can be asked to look at you, and does, is a dog you can redirect away from a distraction, calm down before a greeting, or simply reconnect with in the middle of an exciting walk. Start with contact that lasts a fraction of a second and reward generously; only stretch the duration once your dog is offering eye contact easily and often.

Sit, down, and stay — taught through motivation, not force

Basic obedience cues are taught the same way as the name game: lure or capture the behavior, mark the

instant it happens, reward. Hold a treat just above your dog's nose and slowly move it back over its head for a sit; lower it to the floor between its front paws for a down. Reward generously at first for any approximation of the position, then tighten your criteria gradually as your dog gets more reliable.

For stay, build duration in small increments rather than jumping straight to long waits — one second of stillness, rewarded, then two, then five, building slowly over many short sessions rather than one long one. Release your dog from a stay with a clear, consistent word, said the same way every time, so "stay" always has a defined end rather than fading out on its own. A dog that's never sure when a stay is actually over tends to break position early out of uncertainty, not disobedience.





Come when called

Recall is one of the highest-value skills you can teach a dog with strong scenting instincts, since a nose that's locked onto an interesting trail is genuinely difficult to call off with words alone. Start in a secure, enclosed space — a fenced yard, not an open park — with your dog on a long training line rather than off leash entirely.

Crouch down, use an enthusiastic tone, and reward arrival with your single best treat, every time, so coming to you when called is never a mediocre outcome from your dog's point of view. Never call your dog to you for something unpleasant — a bath, nail trims, the end of a fun outing — or you'll teach it that coming when called sometimes ends badly, which undoes the whole lesson.

Leave it and impulse control

"Leave it" teaches your dog to disengage from something interesting — dropped food, another dog's toy, a smell worth investigating — on cue rather than by instinct. Start with a low-value item in a closed fist; the moment your dog stops pawing or nosing at your hand, mark and reward from your other hand, not the one that was covering the item. Gradually work up to more tempting items placed in the open, covering

them with your foot or hand only if your dog moves toward them, and rewarding disengagement generously. This is a genuinely useful real-world skill for a scent-driven dog that will regularly find something on a walk worth investigating that you'd rather it left alone.



Functional rewards: it doesn't always have to be food

Food is the fastest, most reliable reward for building a new behavior, but it isn't the only currency this breed responds to. A dog straining to investigate an interesting patch of grass can be asked for a quick sit first, then released with a cheerful "go sniff" as the actual reward — using access to the thing your dog already wants as reinforcement for the behavior you asked for. This is especially useful outdoors, where treats compete with real-world smells for attention, and it teaches your dog that checking in with you is what gets doors opened, not just what earns a snack. Rotate between food, sniffing time, a favorite toy, and simple praise once a behavior is well established, so your dog's motivation doesn't depend on a treat pouch being present at every moment.

Keep sessions short and end on success

An independent, easily-bored temperament doesn't respond well to long repetitive drilling. Five minutes of focused training, two or three times a day, produces better results than one twenty-minute session that turns into a battle of wills halfway through. End every session on a behavior your dog can do easily and reliably, even if that means deliberately asking for something simple as your last request of the day, so training consistently ends on a win rather than a struggle.

Consistency across the household

Every person in the house who interacts with your dog should use the same words for the same cues, and the same criteria for what counts as a correct response. A dog that hears "down" mean one thing from one person and something looser from another takes

PupShelf PupShelf PupShelf

considerably longer to learn either version reliably. This matters more for an independent-minded breed than a naturally eager-to-please one, since there's less inherent motivation to guess at what's wanted — clear, consistent cues remove the guesswork entirely.

Skip the party tricks that ask for repeated jumping or spinning

A word on trick training, since it's a natural next step once basic obedience is solid: this is a good breed for nose work, food puzzles, and low-impact tricks like a nose touch or a paw shake, and a poor candidate for tricks that involve sitting up on the hind legs for extended periods, jumping through hoops, or spinning in tight circles on cue. Even taught with the most positive methods available, these ask the spine to do exactly the kind of repeated, unsupported bending this

guide has spent its other chapters trying to minimize. There's no shortage of ways to keep this dog's mind engaged that don't involve its back.

What to take from this chapter

1. This breed's independent, scent-driven temperament responds to motivation, not dominance or physical correction — and corrections carry a spine risk on top of being poor training.
2. Teach your dog's name to reliably mean "look at me" before moving on to any other cue.
3. "Watch me" builds the eye contact that lets you redirect, calm, or reconnect with your dog in almost any situation.

4. Teach sit, down, and stay through luring and reward, building stay duration gradually and always releasing with a consistent word.
5. Build recall in a secure space with a long line, and never call your dog to you for something unpleasant.
6. Keep training sessions short and frequent, and end every session on an easy, reliable win.
7. Skip tricks that involve repeated jumping, sitting up, or spinning — this breed has plenty of ways to stay mentally engaged that don't load its spine.

Chapters ahead turn to grooming, everyday health checks, and the home setup details that round out life with this breed.

This guide is educational and is not a substitute for veterinary care. A dog that suddenly yelps, refuses to move, drags its back legs, knuckles over on a paw, or loses control of its bladder or bowels needs emergency veterinary attention immediately — these are signs of a spinal emergency, not something to wait out at home.





Calm isn’t a command, it’s a skill you build

Plenty of owners try to get a dachshund to settle down by saying “settle” more firmly, or by scolding the pacing and whining until it stops. It rarely works for long, because this breed wasn’t bred to look to a handler for permission on when to relax. Dachshunds were built to work independently underground after

badgers — that's literally what the name means, "badger dog" — scenting and problem-solving alone, out of sight and earshot of the hunter above. That independence is where the famous stubborn streak comes from. It isn't defiance; it's a brain that evolved to keep working a problem rather than check in and wait for instructions. Telling that brain to simply stop rarely works as well as giving it something appropriate to do instead.

This chapter isn't about medication — that's never something to self-prescribe, and if you suspect a genuine anxiety problem rather than ordinary restlessness, that's a conversation for your vet. It's four low-cost, non-medical tools that consistently work with this breed: enrichment mats, chew and lick toys, structured rituals, and short daily calm-down windows.

Enrichment mats: give the nose a job

Dachshunds hunt by scent, and even a dog that's never seen a badger in its life still carries a nose built to work. A snuffle-style enrichment mat — fabric strips or fleece pockets scattered with kibble or small treats — gives that nose a contained, floor-level task. A few times a week, sprinkle a portion of the daily food ration into the mat instead of a bowl and let the dog forage through it uninterrupted.

Two things make this more useful than it looks. First, scent work is mentally tiring in a way that a lap around the yard often isn't — ten to fifteen minutes of steady sniffing tends to settle a wound-up dog faster than the same amount of running around. Second, because the mat sits flat on the floor, it's a form of enrichment that never asks a long-backed dog to leap onto or off furniture to reach it — worth keeping in mind generally, since jumping on and off things is one of the small

daily habits worth minimizing for this breed's back.

Rotate where the mat goes — kitchen floor, hallway, a corner of the living room — so it stays a genuine search rather than a memorized routine the dog can do half asleep. A store-bought mat isn't required to start: a folded towel with kibble tucked into the folds, or a muffin tin with a tennis ball sitting over each cup of food, does much the same job while you decide whether it's worth buying the dedicated version.

Chew and lick toys: an outlet, not a distraction


Chewing and licking are naturally self-soothing behaviors for most dogs — they lower arousal and give a dog something acceptable to do with its mouth instead of the skirting board or your shoes. A firm rubber chew sized for the dog's jaw, offered during ordinary downtime rather than only when you need ten


minutes of peace, teaches the dog that chewing is a normal daily activity rather than a special-occasion outlet reserved for when it's already agitated.

Lick mats work through a different mechanism with the same effect: a thin layer of a dog-safe spread — plain pumpkin puree, a spoon of unsweetened yogurt — smeared across a textured silicone mat turns a two-second treat into a fifteen-minute licking session. Freeze it ahead of time and it lasts longer still. This is a genuinely useful tool for predictable stressful moments — before a nail trim, during a thunderstorm, while you're carrying luggage past the front door — because it gives the dog something to focus on at exactly the moment it would otherwise be pacing or whining at your feet.

Avoid anything hard enough to chip a tooth (real bone, antler, hard nylon) and anything that splinters into swallowable shards. When in doubt, press a fingernail

into the toy — if it doesn't dent slightly, it's harder than it needs to be.





Structured, predictable rituals

A dog with an independent streak tends to settle fastest when the day has a shape it can predict,

because predictability removes a lot of the guesswork that fuels restless behavior — the pacing, the door-watching, the low-grade whining that isn't really about any one thing. Feed, walk, and rest at roughly the same times each day. Use the same short phrase to start a walk and the same one to end it. Keep a consistent spot — a mat or bed — as the designated settle place, and use it every day rather than only once the dog is already wound up.

None of this needs to be rigid to the minute. What matters is that the sequence is recognizable: the dog learns that dinner is followed by a short sniff around the garden, which is followed by quiet time on its mat, and it stops needing to ask what's coming next. A lot of what looks like a stubborn refusal to settle is actually a dog that has no idea what happens next and is staying alert in case it needs to act on something.

Why correction-based training tends to backfire here

It's worth naming directly why the training approach that works well on plenty of biddable breeds often stalls out on a dachshund. A dog bred to solve problems alone, at a distance from its handler, doesn't have the same built-in deference to a raised voice or a firm no that a breed developed to work in constant visual contact with a person does. Punishment can suppress a behavior in the moment — a sharp correction will usually stop the barking or the counter-surfing right then — but it doesn't address why the dog was doing it, and with this breed the behavior commonly resurfaces louder, or shows up somewhere else instead, as pacing, guarding, or a new unwanted habit entirely.

Redirection tends to work better because it answers the question the dog is actually asking — what do I do with

this instinct right now — instead of just shutting the question down. A dog handed a chew toy the moment it starts gnawing the doorframe learns what's available to chew. A dog given a sniff mat when it starts pacing at six in the evening learns that pacing time has become foraging time. The behavior changes because the underlying need got met, not because the dog got scared of a consequence.



Building two calm-down windows into the day

The most reliable version of this in practice isn't one big intervention — it's two short, deliberately placed windows most days: one mid-morning or after breakfast, one in the early evening after the main walk. Ten to fifteen minutes each. Rotate between the enrichment mat, a chew or frozen lick mat, and quiet settle time on the mat, so the dog isn't getting the identical activity every single day.

These windows matter most on the days that are otherwise disrupted — visitors in the house, a skipped walk, a loud afternoon outside. That's exactly when a predictable decompression period does the most good, because it's the one part of the day that didn't change.

It also helps to treat the calm-down window as non-negotiable rather than optional, the way meals are non-negotiable. A dog that has learned to expect quiet time at roughly the same points in the day starts to wind itself down in anticipation of it — pacing less in the run-up because it knows what's coming, rather than escalating because nothing is scheduled and anything might happen next.

What to take from this chapter


1. A dachshund's independence isn't defiance — it's bred-in problem-solving that doesn't wait for permission, and training that ignores this tends to underperform.
2. An enrichment mat gives the nose a job and is a floor-level activity that doesn't require jumping on or off furniture.

3. Chew and lick toys lower arousal in most dogs — offer them during ordinary downtime, not only as an emergency distraction.
4. Predictable daily rituals remove a lot of the guesswork that fuels restless pacing and whining.
5. Correction-based training commonly backfires with this breed; redirecting toward an appropriate outlet tends to hold up better over time.
6. Two short calm-down windows a day, placed consistently, do more than one long occasional session.

Chapter 10 turns from calm indoors to the specific problems that show up outside it — digging, barking at everything, and the pull of a good scent trail on a walk — and practical ways to handle each one day to day.

This guide is educational and is not a substitute for veterinary care. Persistent anxiety, compulsive licking or

chewing that causes skin loss, or any sudden change in behavior paired with signs of pain needs a veterinarian's assessment rather than training tools alone. Sudden yelping, a reluctance to move, or wobbliness in the back legs are never behavior issues to train through — they need same-day veterinary attention.





The three complaints owners bring up most

Ask a room of dachshund owners what drives them craziest day to day, and three answers come up more than any others: the dog is digging up something it shouldn't, barking at things that don't seem to warrant it, and dragging its owner sideways off the pavement after a smell. All three trace back to the same root — this

is a dog built for a specific job, finding and digging out burrowing animals, alerting the hunter above ground, and working a scent trail with total focus, and modern life gives that instinct nowhere appropriate to go. The fix in each case isn't to suppress the instinct; it's to give it a legal outlet.

Digging

Digging isn't a behavior problem in the way that jumping on guests is — it's closer to hardwired. The breed's entire original job was to go underground after badgers, and a dog that digs enthusiastically at the flower bed or the corner of the sofa cushion is doing, imperfectly, exactly what it was bred for.

Fighting this head-on rarely works for long. What works better is redirecting it to a spot where digging is allowed. A designated digging patch — a corner of the

yard, or a child's sandbox filled with loose soil or sand — set up deliberately, with a few toys or treats buried in it to make it worth investigating, gives the dog a legitimate place to dig. When digging happens somewhere it shouldn't, interrupt calmly, walk the dog over to the approved spot, and let it dig there instead of just saying no and walking away with nothing resolved.

For specific problem spots — a flower bed, the base of a fence — a temporary barrier such as chicken wire laid flat just under the soil surface, or a row of large stones, makes the unwanted spot physically unrewarding to dig at while the dog learns the approved spot is more fun anyway. Boredom tends to make digging worse, so more of the enrichment and outlet work from Chapter 9 — sniff mats, chew sessions, a solid daily walk — often reduces it as a side effect, even without addressing digging directly.

Timing matters too. A dog that's already dug a hole and is standing in it, dirt-nosed and pleased with itself, is a dog for whom the reward already happened – there's little to be gained from marching over at that point. Catching the behavior at the first paw-scrape, before real progress has been made, is when redirecting to the approved spot actually changes anything.





Barking at everything

Dachshunds have a reputation as loud dogs, and there's a real reason for it: part of the original job was to bark persistently once underground and in contact with prey, so the hunter above could locate the dog by sound. That's a genuinely functional trait in the breed's working history — and it's also exactly why a dachshund in a living room tends to sound the alarm at the mail carrier, a passing dog, a car door, and a leaf blowing past the window, all with the same full-volume commitment.

The goal isn't to eliminate barking — that fights the breed's nature and usually fails — it's to shrink the list of things worth a full response and shorten how long each response lasts.

Start with what the dog can actually see. A lot of window-barking happens simply because a dog has an

unobstructed view of a street full of passing triggers all day. Blocking the view — frosted window film at dog height, furniture repositioned, or closing a door to that room during peak traffic hours — removes the trigger before it starts, which is far easier than reacting to barking after the fact.

For triggers that can't be removed, teach a "quiet" cue: let the dog bark two or three times at something real, then the instant it pauses to breathe, mark that pause and reward it. Over repetitions, the pause is what gets rewarded, and it lengthens; the dog learns that stopping — not just starting — is what gets a payoff. Avoid shouting over the barking to try to stop it. A raised voice tends to read to a dog as its owner joining in, and volume usually escalates rather than settles.

Scent-chasing and pulling on walks

A dachshund with its nose down on a trail can seem to forget the leash, the owner, and the destination entirely — and in a real sense, it has. Scent processing takes over a huge share of a hound's attention, and a strong trail can override a loose-leash habit that holds up fine everywhere else. The dog isn't ignoring its owner out of stubbornness in that moment; its nose has genuinely found something more urgent than any cue.

Two things help. First, don't treat every pull as a training failure — build a dedicated sniff break into the walk itself, a few minutes with a loose leash in a safe spot where the dog is actively encouraged to follow its nose with no correction at all. A dog that gets scheduled sniff time tends to fight less for it during the rest of the walk, the same logic as the calm-down windows in Chapter 9.

Second, for the parts of the walk where a loose leash actually matters, the equipment matters as much as the

training. A sudden lunge against a leash clipped to a collar puts that force directly through the neck; a well-fitted harness spreads it across the chest instead, which is worth using regardless of how good the loose-leash training already is — a dachshund's long back keeps the whole spine close to the ground and close to whatever the front end just yanked against. When a lunge does happen, stop moving entirely rather than pulling back. A still, silent handler gives the dog nothing to pull against, and most dogs slacken the leash within a few seconds on their own once pulling stops producing any forward progress.

Consistency here matters more than any single correction. A dog that sometimes gets to drag its owner toward an interesting smell and sometimes gets stopped short learns that pulling is worth trying — it works often enough. Stopping every time, calmly and without drama, is what eventually teaches that pulling

simply doesn’t move the walk forward, while the scheduled sniff break teaches that following a nose still has a place in the routine.



When it isn't just stubbornness

Digging, barking, and scent-driven pulling are, almost always, exactly what they look like — instinct with nowhere appropriate to go. Occasionally one of them is a signal of something else: digging that looks frantic rather than purposeful, barking paired with pacing that won't settle even away from triggers, or a sudden new reluctance to walk at all. Those patterns are worth mentioning to your vet rather than working through with more training, since they can point to discomfort or anxiety that redirection alone won't fix.

What to take from this chapter

1. Digging, barking, and scent-driven pulling all trace back to the breed's original working job — the fix is redirection to an appropriate outlet, not suppression.

2. A designated digging spot, set up to be more rewarding than the forbidden one, works better than repeatedly saying no.
3. Reduce window-visible triggers before trying to train around them — it's easier to remove a trigger than to out-train it.
4. Teach "quiet" by rewarding the pause after a bark, not by shouting over the noise.
5. Build a scheduled sniff break into walks so the dog isn't fighting for scent time during the rest of it.
6. A harness distributes the force of a sudden lunge away from the neck — worth using regardless of how solid the leash training already is.
7. A sudden change in intensity, or a new reluctance to move, is worth a vet visit rather than more training.


These everyday habits — how a dog is walked, how it's redirected, how much slack it's given for its own

PupShelf PupShelf PupShelf

instincts — add up over months and years, which is exactly the theme the chapters ahead pick up: keeping this dog's whole body, not just its behavior, in the shape that serves it best for the long run.

This guide is educational and is not a substitute for veterinary care. A sudden increase in barking or pulling paired with reluctance to jump, climb stairs, or walk normally can be a sign of back pain rather than a training problem. Sudden yelping, dragging of the back legs, or a reluctance to move at all is a same-day veterinary emergency, not something to wait out.





Building on the tools you already have

Chapter 1 laid out the job description this breed still carries around: an independent scent hound bred to solve problems alone, underground, following its nose over any competing signal. Chapter 9 gave that nose a floor-level outlet in the enrichment mat, and Chapter 10 gave the digging instinct a legitimate place to land.

Between them, you already have two solid daily tools working in your dog's favor.

This chapter is about rounding out the rest of the picture — why mental effort deserves to be treated as seriously as physical exercise for this breed specifically, and a handful of additional tools that layer naturally on top of what's already in place: puzzle feeders, trick training, structured nose work, and a couple of low-effort games that don't ask anything of a body that's better off staying calm and grounded.

Why mental work carries so much of the load here

The next chapter goes into detail on what safe physical exercise looks like for this breed's long back, and part of that picture is that some of the high-impact outlets other dogs rely on by default — sprinting, jumping,

rough wrestling — aren't the right fit here. That leaves a real gap if tiring your dog out physically is the only tool in the box. Mental effort fills that gap in its own right, not as a consolation prize. A dog that has spent fifteen focused minutes on a scent puzzle or a new trick often settles just as contentedly afterward as one that's had a long run, without putting any strain on a spine that doesn't need extra strain.

Puzzle feeders: a different kind of foraging

The enrichment mat from Chapter 9 is one style of foraging — treats scattered through fabric. A puzzle feeder is a different mechanism entirely, usually a hard plastic or wood toy with sliding covers, spinning sections, or compartments your dog has to nudge, flip, or rotate open to reach the food underneath. Rotating between a snuffle mat and a genuine puzzle feeder

across the week keeps foraging from becoming a memorized routine your dog can solve half-asleep.

Start with an easy version — pieces visible and simply accessed — and increase difficulty gradually as your dog gets better at solving them. Two or three different puzzles in rotation, swapped every week or so, keeps each one feeling like a real challenge rather than old news.

Find it, and hide-and-seek with you

Find it. With your dog waiting in another room, hide a handful of treats around one room — behind a cushion, under the edge of a rug, on a low shelf. Release your dog and let it search. This is a genuine step up from scatter feeding, since your dog has to search a whole space rather than just work through what's directly in front of it.

Hide-and-seek. Step into another room while your dog is briefly distracted, then call its name once. Reward warmly when it finds you. This adds a small, genuinely engaging challenge without requiring any real physical exertion, and it plays to this breed's strong drive to track something down once it's committed to the search — only now the thing being tracked is you.





Trick training for an independent thinker

A dog bred to make its own decisions underground can also be, let's be honest, a dog that decides your recall word isn't currently a priority. Trick training is a useful counterweight to that independent streak — not because it erases it, but because it gives that same problem-solving drive something constructive to focus on, with you as the source of the interesting part.

Keep sessions short — a few minutes at a time, several times a day beats one long session — and lean on high-value food rewards. A paw shake, a spin, touching a target, or learning to walk in a gentle figure-eight around your legs are all genuine mental workouts that ask nothing physically demanding of a body that's better off avoiding sudden, forceful movement. Keep any trick that involves rearing up onto the back legs off the list entirely — that one belongs in the next chapter's list of things to actively avoid, not in a trick repertoire.


Nose work, taken further

If the enrichment mat and find-it games are clearly landing well, it's worth taking scent work a step further. A simple garden tracking exercise — laying a short trail of treats every few feet across the grass and letting your dog work its way along it nose-down — is a natural next step up from an indoor mat, entirely at walking pace with no jumping or scrambling involved. Formal nose work or tracking classes exist specifically for this kind of low-impact, high-engagement activity, and this breed tends to take to them naturally given its working history — worth looking into locally if the DIY version is a clear hit.

A cardboard box surprise

Hide a few treats inside a box loosely stuffed with crumpled paper. It costs nothing, takes two minutes to

set up, and most dogs will work at it for several minutes at a stretch — a genuinely novel object to investigate that doesn't repeat anything already in the regular rotation.





Keeping toys feeling new

Keep only a handful of toys accessible at any one time, rotating which ones are out every week or two. A toy that's actually just been put away for a while generates real interest when it reappears, without buying anything new — a low-cost way to keep the whole rotation, mat included, from going stale.

Folding this into the rhythm you already have

Chapter 9 already built two calm-down windows into most days. The additions in this chapter aren't a separate schedule competing with that one — they layer into it. Use a puzzle feeder at one meal instead of the mat every so often, work a few minutes of trick training into one of the existing windows, save find-it and hide-and-seek for days when the routine could use a change of pace, and treat a weekly nose-work session or class as a standing appointment rather

than something to fit in if there's time.



Enrichment for when you're home but busy

A common scenario worth planning for directly: you're home and working, or otherwise occupied, and your dog wants engagement you can't give right now. The

lick mat or chew toy from Chapter 9, the digging box from Chapter 10, or a stuffed food toy can all bridge this gap — occupying your dog contentedly a few feet away rather than pawing for attention or finding its own less welcome project. Keep one of these specifically on hand for this exact situation, separate from the toys and puzzles used for dedicated enrichment time.

Reading the signs of an under-stimulated dog

Before assuming a behavior is a training problem, it's worth asking whether it's actually a boredom problem. Excessive barking at nothing in particular, chewing on furniture, digging in places you didn't provide for it, or a dog that seems constantly underfoot and unable to settle are all common signs that the nose and brain aren't getting enough to do — the same instincts Chapters 9 and 10 already named, just under-fed. The

fix usually isn't more correction; it's more legitimate outlets. Before reaching for a training solution to what looks like restlessness, try adding one more scent game or puzzle session to the day first and see whether it eases on its own.

Choosing enrichment toys with this body in mind

Most enrichment toys are fine as-is, but a couple of adjustments are worth making for this shape of dog specifically. Skip anything that involves leaping up to catch a thrown toy or ball out of the air — the landing is the part worth avoiding, and it's easy to remove entirely just by keeping toys low and rolled rather than thrown. Snuffle mats, puzzle feeders, lick mats, and the digging box all keep your dog's feet on the ground throughout, which is exactly the profile you want from enrichment

here. A simple test works when you're unsure: does the activity happen entirely on the ground, at a walking pace, with no bounce, twist, or leap involved? If yes, it belongs on the list.

What to take from this chapter


1. Mental effort satisfies this breed's strongest natural drives without the physical strain some ordinary exercise carries — it's a genuine substitute for tiring a body that's better off staying calm, not a lesser one.
2. Puzzle feeders, find-it games, and hide-and-seek add real variety on top of the enrichment mat and digging box already introduced in earlier chapters.
3. Trick training gives an independent-minded dog something constructive to focus its problem-solving on, using short sessions and high-value rewards.

4. Formal nose work or tracking classes are a natural next step for a dog that's clearly taken to scent games at home.
5. Layer new tools into the calm-down windows already built into the day, rather than running a second, competing schedule.

The next chapter turns to the body itself — what counts as genuinely safe exercise and play for this breed's long back, and the specific activities worth ruling out entirely.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden reluctance to move, yelping when touched or lifted, a hunched or arched back, wobbliness or dragging in the back legs, or any loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.





Putting Chapter 2's explanation to work

Chapter 2 already covered the mechanics behind this: chondrodystrophy, the same trait that gives this breed its short legs, also causes the discs cushioning the spine to harden and lose their shock-absorbing capacity years earlier than in most other breeds — the condition known as IVDD. This chapter doesn't

repeat that explanation. It puts it to work.

Everything below exists because of that physical reality, and the reassuring part still holds: the list of activities that genuinely raise the risk is short, specific, and entirely manageable once you know what's actually on it. Most of what makes for a genuinely happy, well-exercised Dachshund — daily walks, play, swimming, games with you — is fully compatible with protecting that spine. A small number of habits do the majority of the protective work, and this chapter is about naming them precisely rather than defaulting to vague overcaution.

What safe daily exercise looks like

Short, frequent, flat walks beat one long one. Two or three unhurried walks on level ground most days serve this breed far better than a single long outing. There's

no need for distance or pace to impress anyone — a walk that lets your dog sniff, wander, and move at its own rhythm on flat pavement or grass is doing exactly what it should.

A well-fitted harness, not a collar, for anything beyond the house. Pressure on the neck from a collar and leash transmits directly toward the spine with every pull or lunge; a harness that sits across the chest spreads that same force away from it. This is worth treating as non-negotiable rather than a nice-to-have.

Let your dog set the pace, especially on stairs and uneven ground. Rushing, being pulled along faster than a comfortable trot, or being tugged over uneven terrain all ask the spine to absorb sudden, uncontrolled movement — precisely the kind of stress a healthy disc can usually handle but a vulnerable one cannot.


Swimming, done right

Swimming is genuinely one of the best exercise options for this breed when it's set up correctly — it works muscle without asking the spine to bear weight or absorb impact. The setup matters as much as the activity itself, though. Supervise every session directly rather than leaving your dog to swim unattended. Use a ramp or shallow, gently sloped entry point rather than letting your dog leap in from a ledge or the side of a pool. A well-fitted canine life vest adds real security, particularly for a dog still building confidence in the water or swimming somewhere with any current. Done this way, a few minutes of supervised swimming most weeks is close to an ideal outlet for this body.

Lifting factors into this too

Chapter 3 already introduced correct lifting technique, and Chapter 13 walks through it in full, step by step — it's worth reading in full if you haven't yet, because it's one of the most repeated physical interactions you'll have with your dog. It belongs here too, briefly, because two of the exercise moments in this chapter depend on it directly: catching your dog before a jump off furniture, and getting it in and out of the car. The short version: support two points at once, one hand under the chest and one under the hindquarters, keeping the back level and horizontal throughout, and never let the back half hang unsupported.





The jump: the single biggest everyday risk

Letting this breed jump down from furniture deserves more caution than almost any other everyday habit in this chapter. A jump down from a sofa or bed sends a real jolt straight through the spine on landing, repeated every single time it happens — and for most Dachshund owners, it happens dozens of times a day without

anyone noticing. The goal is minimizing that jolt as the default for every dog, not treating a single unplanned jump as a crisis, or a fit adult dog's controlled, everyday movement as automatically dangerous.

Use ramps or a set of pet stairs at every sofa, bed, or chair your dog is allowed on. A short, gently angled ramp costs little and takes almost no training to introduce — most dogs use one readily within days once treats are used to build the association.

Lift your dog down rather than letting it jump, wherever a ramp isn't practical. In and out of the car is a common blind spot; treat it the same way you'd treat a sofa.

Block access to furniture your dog hasn't been trained to use safelyrather than trusting it to always wait for help. A dog left alone in a room with an unramped bed will,

sooner or later, jump down on its own.

A genuine research nuance, worth knowing rather than hiding. The largest study of this breed's everyday lifestyle and back health — a Royal Veterinary College survey of just over two thousand Dachshund owners, sometimes referred to as DachsLife 2015 — actually found that dogs whose owners reported no furniture-jumping allowed at all had roughly three times the odds of a diagnosed IVDD case compared with dogs allowed to jump onto furniture daily, the single strongest link in the whole study. That sounds like it contradicts everything above, and it's worth being honest about why it probably doesn't. The study only captured each dog's habits at a single point in time, so it can't separate "restricting jumping caused the injury" from the far more likely explanation: many owners only impose a no-jumping rule after their dog is already showing symptoms or has already been diagnosed.

The study's own authors were explicit that they couldn't make firm recommendations on reducing IVDD risk from this data alone. The UK's own Dachshund Breed Council, which runs the breed's official spinal screening program, draws a similarly careful line: a mature, well-muscled dog at a healthy weight should generally be able to tolerate normal daily activity, and it's the sudden shock of a hard landing from height that puts real stress on the spine — not moderate, controlled movement in general. In practice, that means the ramps-and-lifting habits above stay the sensible default, aimed specifically at removing the hard landing rather than removing your dog's freedom to move — not a rule that treats a dog who occasionally hops off a low step on its own as if something has gone wrong.

Play activities to avoid entirely

A few categories of play carry a real, specific risk for this breed's spine, and the safest approach is to rule them out rather than try to manage them carefully.

Any trick that involves standing or "sitting up" on the back legs. These poses put direct compressive load on the lower spine and should be left off the trick list entirely, no matter how popular they look on video.

Tug-of-war played with any twisting or yanking motion. A calm, straight-line tug at a controlled pace is fine; the sudden sideways wrenches that happen when a game gets excited are exactly the movement to avoid.

Jumping to catch a ball or frisbee out of the air. The landing after any airborne catch is the dangerous part — keep fetch games rolled along the ground instead of thrown to be caught.

Unsupervised play with a much larger or rougher dog. A size or energy mismatch means your dog can easily be knocked, bowled over, or land wrong during ordinary play that the bigger dog barely notices. Supervise any mixed-size play directly and step in before it gets rough, rather than after.

Spinning, chasing-tail games, or anything that repeatedly twists the body at speed. These ask for the same kind of rotational stress a twisted tug game does, just self-inflicted.

Stairs

Stairs aren't automatically off-limits the way jumping is, and the same large study mentioned above found the evidence actually leans the other way for a healthy adult dog: dogs with no daily access to stairs had close to one and a half times the odds of diagnosed IVDD,

and dogs limited to a single step rather than a full flight had similarly higher odds, compared with dogs who used a full staircase daily. Two things are likely going on — building and maintaining the muscle around the spine matters as much as avoiding sudden shock to it, and, as with jumping, owners often restrict stairs only after a diagnosis rather than before one. What actually raises risk is a dog racing, bounding two steps at a time, or being rushed faster than a controlled pace — not steady, one-step-at-a-time stair use. For a puppy still growing, a senior dog with reduced mobility, or any dog already showing back sensitivity, a baby gate at the top or bottom of a staircase, or carrying your dog for stairs specifically while leaving flat-ground walking untouched, is still the sensible choice. For a fit, healthy adult dog with no history of back trouble, letting it take a full flight of stairs at its own unhurried pace is a reasonable default, not something to restrict out of caution alone.





Weight and the spine

An overweight dog's spine carries a real, constant increase in load on top of every one of the risks already covered here, so keeping your dog at a lean, healthy weight isn't a cosmetic goal – it's a direct part of protecting the back. Chapter 15 covers weight and health in full; it's worth treating that chapter as seriously

as any of the physical precautions in this one.

Movement is part of the protection, not just the risk

It's easy to read a chapter full of things to avoid and land on the wrong conclusion — that less activity is automatically safer. It isn't. Regular, moderate movement builds and maintains the core and back muscles that help stabilize the spine day to day, and a dog that spends most of its time inactive on a sofa isn't a protected dog, just an under-conditioned one with less muscular support around exactly the structure this chapter is about. The goal isn't minimizing exercise. It's choosing the right kind consistently — the flat walks, controlled swimming, and grounded play already covered here — rather than swinging between long bursts of intense


activity and long stretches of none at all.

The same large study mentioned earlier put real numbers behind this, not just general logic: dogs exercised less than thirty minutes a day had close to two and a half times the odds of a diagnosed IVDD case compared with more active dogs, while dogs exercised more than an hour a day had roughly half the odds of the least-active dogs in the study. Muscle and regular movement are doing genuine protective work here, not just filling time between the things this chapter asks you to avoid.

Puppies and growth

A growing puppy's spine and growth plates are still developing, which makes this whole chapter's guidance even more important, not less, during the first year. Keep jumping off furniture off-limits from day one

rather than introducing the rule later, and favor short, gentle play sessions over anything rough or prolonged while your puppy's body is still forming.



Signs that mean stop and call a vet immediately

However carefully you manage exercise and play, it's worth knowing exactly what a spinal emergency looks like, because acting within the first hours can make a real difference to outcome. A sudden reluctance to jump, climb, or move at all; yelping or flinching when touched anywhere along the back or when picked up; a hunched or visibly arched posture; wobbliness, weakness, or crossing in the back legs; dragging or knuckling a back paw so the top of the foot scuffs the ground; or any loss of bladder or bowel control are all signs that need emergency veterinary attention immediately — not a wait-and-see approach at home.

What to take from this chapter

1. This breed's short legs come from the same trait that makes its spinal discs prone to premature, sudden injury — understanding that shapes every exercise decision in this chapter.
2. Short, frequent flat walks on a harness, plus supervised swimming, cover most of this breed's real exercise needs safely.
3. Jumping down from furniture carries real, sudden-impact risk and stays minimized by default, with ramps and correct lifting doing most of the work — but that's different from restricting a healthy adult dog's controlled, unhurried use of a full staircase, which the largest study on this breed's lifestyle actually links to lower risk, not higher.

4. Trick poses on the hind legs, twisting tug games, airborne catches, and unsupervised play with much larger dogs all carry real spinal risk and are worth ruling out completely rather than managing carefully.
5. Sudden reluctance to move, yelping when touched, a hunched back, wobbly hind legs, or loss of bladder control are emergencies — get to a vet immediately, don't wait to see if it passes.

Chapter 13 turns to grooming and handling – including the full step-by-step for lifting your dog correctly, the single most repeated physical interaction you'll have with it for its entire life.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden reluctance to move, yelping when touched along the back, wobbly or dragging hind legs, or any loss of bladder or bowel control

needs emergency veterinary attention immediately, not home management.





The moment that happens more times than any other

Somewhere in Chapter 3, you learned the basics of supporting her properly whenever you pick her up. That was worth saying early, but it’s worth saying again here in full, because this is the single most repeated physical interaction you’ll have with your dog for her

entire life. A dachshund gets picked up onto the couch, off the couch, into the car, out of the bath, onto the vet's exam table, away from the front door when the doorbell rings — dozens of times a week, every week, for a dog who might live well into her teens. Multiply a small daily risk by that many repetitions and it stops being small. Of every everyday habit in this book, correct lifting is the one most directly protecting the exact structure this whole guide is built around: a long spine running between short legs, with limited support along the way.

A big dog gets carried rarely, if ever. A dachshund gets carried constantly, precisely because she's small enough that carrying her feels easy and natural. That combination — small enough to grab casually, but built with a spine that doesn't tolerate casual handling — is exactly why this chapter exists.

Why the way most people instinctively pick up a small dog is wrong here

Picture the default reflex most people bring to a small dog: reach down, scoop a hand under the belly, and lift. For a compact, evenly-proportioned dog, that rough approach mostly works out fine. For a dachshund, it puts her whole body weight through an unsupported midsection while her spine bends under it – repeatedly, every single day.

A few specific habits are worth naming directly, because they're common, they look harmless, and they're all worth eliminating completely:

- **Lifting by the front legs or armpits**, the way you might lift a toddler by the arms. This lets her whole hindquarters and spine hang unsupported below the lift point.

- **Scooping under the belly alone**, with no support at either end, letting her body fold in the middle and her back legs dangle and kick.
- **Grabbing the scruff or collar** to hoist her up, which puts strain on her neck and gives her no stable base at all.
- **Picking her up mid-twist**, while she's scrambling, jumping up at you, or spinning to greet you — the moment her body is already in motion is the worst possible moment to add a lift on top of it.

None of these habits look dramatic in the moment. That's exactly the problem. A single bad lift rarely causes visible harm. It's the habit, repeated for years, that adds up.

The correct lift, step by step

1. **Approach from the front or side, not from above.** Let her see and expect the lift rather than being surprised by hands descending from over her head.
2. **Slide one hand or forearm under her chest**, just behind her front legs, so it's supporting the front third of her body.
3. **Slide your other hand or forearm under her hindquarters**, supporting her rear end and back legs together, not just her tail end.
4. **Lift both ends at the same time**, in one smooth motion, so her spine stays level and horizontal the entire way up — never arched, never sagging in the middle.

5. **Bring her in against your chest or torso immediately**, rather than holding her out at arm's length. Close to your body, her weight is stable and supported; held away from you, she's swinging weight your arms alone are managing.
6. **Keep one forearm running the length of her body** once she's up, so if she shifts or wriggles, her spine still has something solid underneath it the whole time.

This isn't a special technique reserved for tricky moments — it's the only way to pick her up, every time, for the rest of her life. The goal is for it to become so automatic you do it without thinking, the same way you'd automatically support a baby's head.





Setting her down matters just as much as picking her up

It's easy to focus entirely on the lift and treat the landing as an afterthought — a few inches of drop at the end feels harmless. It isn't. Landing hard, even from a short height, sends a jolt straight up through the spine, and it's an easy habit to fall into once a dog feels

squirmy and you just want the interaction over with.

Lower her all the way down with the same two-point support you used to lift her, keeping her level until all four feet are solidly on the ground. If she's wriggling to get down before you're ready, that's a training moment, not a reason to let go early — a few extra seconds of a mildly impatient dog is a far better trade than a jarring drop.


Practicing the lift so it isn't a fight


A dog who associates being picked up with only ever going somewhere she doesn't want to go — the bath, the vet, being taken away from something fun — will start bracing, twisting, or wriggling the moment she feels hands on her, which makes correct support genuinely harder to maintain. Build the opposite association deliberately.

A few times a day, during calm, low-stakes moments, pick her up using the full correct technique, hold her for a few seconds, then set her down and give her a treat or calm praise. Do this often enough and picking her up stops being an event at all — it becomes background noise, something that happens smoothly and predictably rather than something she needs to brace against. That predictability matters twice over: it protects her spine in the moment, and it makes her easier and calmer to handle at the one place correct technique matters most under pressure — the vet's exam table.

One owner raised a version of exactly this concern after a run of vet visits, asking why a tech "has taken her out of the exam room and 'into the back' for their exam" instead of examining her right there, and noting that her dog is "often very sore after these visits." There's no way to know from the outside whether soreness like

that traces back to the exam itself or to being handled by unfamiliar hands in an unfamiliar room — but a dog who's already comfortable with calm, correct handling at home carries one less unknown into that back room either way. One thing that owner's post makes clear and worth repeating here: her dog was recovering from an autoimmune disease affecting the joints, which is a far likelier reason for soreness after a visit than anything that happened on the table.





Where this gets tested every day

The technique above isn't just for dramatic moments. It's for the small, constant ones: lifting her onto the couch instead of letting her attempt the jump herself, lifting her into the car rather than watching her scramble up from the running board, lifting her out of the bathtub with wet, slippery footing under both of

you, and lifting her onto the exam table at the vet, where an unfamiliar room and an unfamiliar person already have her more tense than usual. Every one of these is the same lift, done the same way, regardless of how rushed or routine the moment feels. The whole point of building it as an automatic habit is that it doesn't degrade under time pressure.



Basic grooming for a smooth coat

Compared to many breeds, a smooth-coated dachshund is genuinely low-maintenance to groom — but low-maintenance isn't the same as no-maintenance, and a short coat still sheds and still benefits from a regular routine.

A weekly pass with a rubber curry brush or grooming mitt, worked in the direction the coat grows, lifts loose hair and dead undercoat before it ends up on your furniture, and doubles as a chance to run your hands over her whole body and notice any new lump, scab, or sore spot early. It takes a few minutes and most dogs come to enjoy it once it's a familiar routine.

Bathe her only when she's actually dirty or has picked up an odor — every few weeks at most, and less if she stays reasonably clean between baths. Over-bathing a smooth coat strips natural oils and leaves the skin dry

and irritated, which does more harm than the mess it was meant to solve. A gentle dog-specific shampoo, a thorough rinse, and a full dry are all it takes.

Nail trims without a wrestling match

Long nails change how a dog stands and walks, pushing her weight backward off her toes and altering her gait — worth keeping short simply for comfortable, even movement. Trim every few weeks, more often if you can hear her nails clicking on hard floors between sessions, using either a guillotine-style clipper or a rotary grinder, whichever she tolerates better.

The technique that matters here is the same one from earlier in this chapter: hold her using proper, secure support rather than pinning or wrestling her into position. A dog restrained by twisting or squeezing her body to keep her still is a dog whose spine is under

exactly the kind of pressure this whole chapter is about avoiding — the irony of causing a back strain while trying to do routine maintenance is entirely avoidable. Trim a little at a time, watch for the quick (the pink area visible in light-colored nails), and stop well short of it. If nails are dark and the quick isn't visible, take off small amounts and check the cut end after each trim rather than guessing at the whole length in one go.Her long, drooping ears sit flat over the ear canal and block the airflow that would otherwise dry it out, so warmth and moisture stay trapped underneath — which is exactly the condition ear infections need. Check them weekly for redness, odor, or excess wax, and clean gently with a dog-specific ear cleaner on a cotton pad — never a cotton swab pushed into the canal. Head-shaking, scratching at the ears, or a noticeable smell all call for a vet visit rather than ongoing home treatment.

Dental disease deserves to be taken seriously here, not treated as an afterthought: one large study of veterinary records across dozens of breeds found gum disease in 28.1% of Dachshunds, noticeably above the 18.2% average across all breeds combined — a smaller jaw crowding the same number of teeth into less room is a big part of why. A few teeth brushings a week with dog-specific toothpaste, plus appropriate dental chews between brushings, rounds out the routine. None of this needs to happen daily — consistency over weeks matters more than intensity on any single day.

What to take from this chapter

1. Because she gets picked up so often, correct lifting technique is one of the most consequential daily habits in this entire book.

2. Always support two points at once — one hand or forearm under the chest, the other under the hindquarters — keeping her spine level and horizontal through the whole lift.
3. Never lift by the front legs, the belly alone, the scruff, or the collar, and never lift her while she's twisting or scrambling.
4. Bring her in close to your body rather than holding her at arm's length, and set her down with the same care you used to pick her up.
5. Practice calm, low-stakes pickups regularly so correct handling becomes automatic rather than something you have to remember under pressure.
6. A smooth coat needs only a weekly brush and occasional bathing, but nails, ears, and teeth all still need a real routine.

7. Use proper support during grooming tasks like nail trims too — wrestling her into position defeats the purpose of everything else in this chapter.

Chapter 14 moves from handling her body to managing her place in a busier household — what changes when she's sharing space, and sometimes play, with other dogs.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden back pain, reluctance to move or jump, yelping when touched or picked up, wobbliness or weakness in the back legs, dragging or knuckling a paw, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.





An independent hound joining a household, not a pack

Chapter 3 already made the case that a dachshund isn't a retriever with short legs – she's a hound bred to work a scent trail alone, make her own calls underground, and answer to instinct before she answers to a person or another dog. That same independence shapes how

she fits into a home with other dogs. Some dachshunds genuinely enjoy canine company and settle into a multi-dog household with ease. Others are perfectly content, maybe even happier, as the only dog in the house, tolerating a housemate rather than bonding with one. Both are normal for the breed. Going in expecting instant best-friendship, the way you might with a more naturally pack-oriented breed, sets you up to misread a dog who's simply being herself.

Territorial habits worth expecting from the start

A dachshund's territorial streak, bred in for guarding a den and a home range, tends to show up clearly once another dog enters the picture. Food is a common flashpoint — a dog who was perfectly relaxed about her bowl as an only dog can become stiff, fast-eating, or

outright guarding once she's sharing a space with a housemate, even if the other dog has never actually approached her food. Favorite resting spots, a particular end of the couch, or the person she considers hers can trigger the same response.

None of this is a character flaw to correct out of her. It's a predictable breed trait, and the fix is almost always management rather than punishment: separate feeding stations, no free-for-all around a single toy basket, and a household that doesn't force sharing before she's ready for it. Watch, too, for guarding behavior aimed at a favorite person — a dachshund who stiffens, blocks, or growls when another dog approaches you is guarding a resource, and the same calm management applies rather than scolding her for it.

Introducing a new dog into a dachshund household

However the second dog arrives — a permanent addition or a friend's dog visiting for a weekend — a rushed first meeting sets a worse tone than a slow one. Introduce them on neutral territory first, somewhere that belongs to neither dog, rather than having a newcomer walk straight into what your dachshund already considers her space. Keep the first session short and both dogs on leash, watching for loose, relaxed body language rather than assuming silence means things are fine.

Once they're sharing a home, keep feeding, favorite beds, and high-value toys separate for at least the first few weeks, even if early interactions go well. Supervise every interaction during this settling-in period rather than leaving them loose together unsupervised on day one, and let the relationship develop at whatever pace

it develops at — some pairs are comfortable within days, others take months, and both outcomes are normal.





The size mismatch that matters more than most owners realize

If the other dog in the house is significantly larger, there's a physical risk here that goes beyond ordinary multi-dog friction, and it connects directly to everything Chapter 13 just covered about protecting her spine. A big dog's idea of normal play — body-slamming, wrestling, grabbing and shaking, chasing at full speed through a living room, or standing over a smaller dog with paws braced on her back — can put real force through a long spine that has far less built-in tolerance for that kind of impact than the larger dog's more evenly proportioned body does. A play style two large dogs shake off without a second thought can genuinely injure a dachshund.

This isn't a reason to keep her isolated from bigger dogs entirely, but it is a reason to actively supervise and shape how that play looks rather than assuming dogs will sort it out themselves. Step in before wrestling escalates, not after. Interrupt anything that involves the

bigger dog jumping onto or over her, mouthing at her back or neck with real weight behind it, or chasing her at a dead sprint across hard flooring or around furniture. A short, calm break — calling both dogs away, waiting for them to settle, then releasing them back to play — resets the intensity without ending the fun outright.





Giving her room to opt out

Every multi-dog home needs a way for the smaller, more vulnerable dog to remove herself from play entirely, on her own terms, without a bigger dog following her into it. A crate she can retreat to, a baby gate across a doorway, or simply a raised bed a larger dog can't easily climb onto all give her an exit that doesn't depend on you catching every moment in real time. Respect that space completely once she's used it — no coaxing her back out to keep playing, and no letting the other dog pester her there. A retreat that doesn't actually work as a retreat stops being used.

Matching dogs by energy and play style, not just supervising the mismatched ones, also helps. If your household includes another calm, gentle dog closer to her own size, that pairing will often produce more of the relaxed, mutually enjoyable play you're hoping for than

constant management of a size-mismatched one ever will.

Multiple dachshunds under one roof

A house with more than one dachshund brings its own particular dynamic. The same denning instinct that makes a single dachshund burrow under blankets often shows up as genuine enjoyment of piling together in one bed or crate, and many multi-dachshund households find their dogs default to sleeping in a heap rather than spread out. At the same time, food and resource guarding can be more intense between two dogs of the same breed with the same drive to protect what's theirs, not less — don't assume shared breed and size means shared meals are automatically fine. Feed from separate bowls, spaced well apart, until you've clearly seen otherwise over time.

Everyday logistics that keep the peace

A few structural habits do a lot of quiet work in a multi-dog home. Feed at set times from separate stations rather than free-feeding from a shared bowl. Pick up high-value chews and stuffed toys when you're not there to supervise, rather than leaving them out as a standing invitation to guard. Rotate toys so nothing becomes so precious it's worth a fight, and keep a few identical items available if a particular toy tends to cause friction, so there's no single object worth competing over.



Building calm coexistence day to day

Structure the small daily moments as deliberately as the big ones. Ask for a sit or a settle from both dogs before doors open, before meals go down, and before anyone gets let out into the yard, rather than letting excitement at the threshold turn into a scramble. Reward calm greetings between the dogs after any

separation — even a short one — the same way you'd reward a calm greeting with a visitor at the front door. A household where excitement is consistently rewarded with more excitement tends to drift toward chaos; one where calm gets the reward tends to stay calm.

None of this needs to be rigid or humorless. Dogs living well together in the same house, dachshund or otherwise, still play, still wrestle a little, and still occasionally squabble over nothing in particular. The goal isn't a house with zero friction — it's a house where the friction stays minor, and where the specific risks of a long spine and a size mismatch never get the chance to turn ordinary dog behavior into an injury.

What to take from this chapter

1. A dachshund's independent, hound-bred temperament means some genuinely prefer being the only dog, and that's normal, not a problem to fix.
2. Expect territorial and resource-guarding behavior around food, beds, and favorite people once another dog is in the house, and manage it with separation rather than correction.
3. Introduce a new dog slowly, starting on neutral territory, and keep resources separate for the first few weeks even if early meetings go smoothly.
4. A size mismatch with a larger housemate is a real physical risk to her spine, not just a behavior concern — supervise and interrupt rough wrestling, jumping, and full-speed chasing.
5. Give her a retreat a bigger dog can't follow her into, and respect it completely once she uses it.

6. Multiple dachshunds often enjoy piling together, but don’t assume shared breed means shared food is automatically safe — feed separately until proven otherwise.
7. Reward calm greetings and calm thresholds consistently; a household that rewards excitement tends to escalate, and one that rewards calm tends to stay that way.

Chapter 15 turns to another daily habit that protects her for the long run — tracking her weight and body condition, since extra weight puts even more load through the same long spine this chapter has been working to protect.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden back pain, reluctance to move or jump, yelping when touched or picked up, wobbliness or weakness in the back legs,

dragging or knuckling a paw, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.





Every earlier chapter of this book has circled, one way or another, around a single physical fact: a Dachshund's spine runs the length of a much bigger dog, carried on legs built for digging into a badger's den, not for absorbing shock. That's the shape people fall in love with. It's also the reason this breed carries a genuinely elevated risk of intervertebral disc disease — IVDD for

short — compared with most dogs its size. The number is worth having in view rather than left vague: IVDD affects about one in four Dachshunds at some point in their lives, by the most commonly cited estimates — a real risk, and also one that most Dachshunds never actually experience.

This chapter puts that fact where it belongs: front and center, with two concrete tools attached to it. First, how to keep your dog at the weight that gives that spine the best possible chance. Second, exactly what to watch for if something goes wrong anyway, and how urgently to act on it. Nothing here replaces a vet. It's here to make sure you call one in time.

The weight-spine connection, made concrete

Dachshunds are what's called a chondrodystrophic breed — the same genetics responsible for those short

legs and long back also affect the cartilage in the discs that cushion each vertebra, making those discs prone to degenerating and hardening earlier than they would in a normally proportioned dog. That part is genetic, and it's true of a lean, fit Dachshund exactly as much as a heavy one. Weight doesn't cause IVDD.

What weight does is load an already-vulnerable structure with more work than it needs to carry. A long spine already supporting a long torso on short legs has less margin to begin with. Every extra bit of body weight means the muscles and ligaments running the length of that spine are working harder to stabilize it on every step, every trip up onto a sofa, every set of stairs. Think of it less as "fat causes back injuries" and more as "your dog's spine is already managing a harder job than most dogs', and carrying extra weight is the one part of that job you can directly make easier or harder." It's a controllable variable sitting on top of a risk that's

already elevated by shape alone — which is exactly why it deserves a chapter of its own rather than a passing mention.

The body condition check you can do at home

You don't need a scale that tells you a precise number to know whether your dog is carrying too much weight — you need your hands and your eyes, checked regularly.

Run a flat hand along your dog's ribs with light pressure. You should be able to feel each rib distinctly, under a thin layer of flesh, without pressing hard to find them. If you have to dig to feel ribs at all, that's extra weight worth addressing.

Look down at your dog from directly above, standing normally. Behind the ribcage, there should be a visible

waist — a gentle inward curve before the hips. A Dachshund's long body can make this waist subtler than it is on a leggier breed, but it should still be there. A straight line from ribs to hips, with no taper at all, usually means it's time to talk to your vet about calorie intake.

From the side, the belly should tuck up somewhat behind the ribcage rather than hanging level with the chest. A low, sagging belly line, especially paired with the rib and waist signs above, is a third confirmation rather than something to rely on alone.

Do all three checks together, monthly at minimum, and you'll catch gradual weight gain long before it becomes obvious in a mirror.

Feeding matched to the dog in front of you, not the bag

The feeding chart on a bag of dog food is a starting point calculated for an average dog at an average activity level — not a instruction written specifically for yours. Start there, then adjust based on what the body condition check above actually shows you every few weeks, not based on what the bag says should be true.

Weigh food rather than eyeballing a scoop. A kitchen scale removes the slow portion creep that happens when a "cup" gradually becomes a slightly fuller cup over months without anyone deciding that on purpose. If treats are a regular part of your dog's day — and for most dogs they are — count their calories as part of the total rather than as something separate from "real" food, and lean on very small, low-calorie treats for frequent training rather than large ones.

The goal isn't a dog that looks thin. It's a dog sitting at the lean end of normal for its own frame, with the rib, waist, and belly signs above all present at once. For a

breed already managing an elevated spinal risk, that target is one of the most meaningful, genuinely controllable things you can do for long-term back health — not a cosmetic preference, a real health decision.





IVDD warning signs – call the vet immediately, don't wait

These are the signs where the correct response is to phone a vet or an emergency clinic right away, not to watch and wait, not to try rest at home first, not to see if it improves by morning.

Reluctance or refusal to jump, in a dog that normally jumps onto furniture or in and out of the car without hesitation. A sudden, out-of-character "no" to a jump it's done a hundred times before is one of the earliest and most common signs owners notice.

Yelping, crying out, or flinching when touched on the back, or when picked up in the ordinary way you always have. Pain that shows up specifically along the spine, rather than anywhere else on the body, is a distinct signal worth taking seriously on its own.

A hunched, arched back, or a tense, guarded abdomen — a posture that looks like your dog is deliberately protecting its middle rather than standing normally.

Wobbly, weak, or uncoordinated back legs. This can look like stumbling, an unsteady gait, or legs that don't seem to be responding normally to what your dog is trying to do.

Dragging a back foot, or knuckling over onto the top of a paw instead of placing it normally. This is a sign of a nerve signal not getting through correctly and needs urgent attention.

Reluctance to move at all — standing rigid, refusing a walk it would normally take eagerly, or holding an unusually still, tense posture.

Loss of bladder or bowel control. In combination with any of the signs above, this points

PupShelf PupShelf PupShelf

toward significant nerve involvement and is always urgent.

Any sudden inability to use the back legs at all. This is the most severe presentation and is a genuine emergency — the sooner treatment starts, the better the odds of a good recovery.

None of these need to appear together for you to act. Any one of them, on its own, in a dog that didn't have it yesterday, is worth a same-hour call. Speed matters with IVDD in a way it doesn't with most conditions — outcomes are generally better the sooner treatment begins, which is exactly why "let's just watch him tonight" is the one response that can cost the most.

Lower-grade signs still worth a prompt call, not a shrug

Not everything shows up as dramatically as the list above. A dog that's slightly stiffer than usual after resting, that pauses before stairs it normally takes without thinking, that seems a little quieter or more withdrawn than its usual self, or that's eating less alongside any hint of back sensitivity, is telling you something even without a single obvious red flag. These don't necessarily mean an emergency clinic tonight, but they do mean a call to your regular vet in the next day, not a wait-and-see approach stretched over a week. A subtle change you caught early is far easier to act on than a dramatic one you didn't.

The weekly check

Beyond the body condition check above, get in the habit of running your hands the length of your dog's back once a week, feeling for any new sensitivity, and

watching it stand and move for anything uneven or hesitant. A change you can date precisely — "this started Tuesday" — is far more useful to a vet than one you only noticed "at some point recently."



Ordinary preventive care

Vaccinations and parasite prevention on whatever schedule your vet sets for your area. Routine dental checks matter for a small breed like this one — ask about your dog's teeth specifically at regular visits rather than assuming no news is good news. Discuss neuter or spay timing with your vet directly rather than following a fixed rule of thumb; the right timing genuinely varies by individual dog. One concrete data point worth bringing into that conversation: in one large study of this breed, females spayed before twelve months old had about 1.8 times the risk of a diagnosed disc injury compared with dogs left intact, a pattern that didn't reach the same statistical certainty in males of the same age. That's not a reason to rule spaying out — it's a reason to make timing part of the conversation rather than an afterthought.

Being honest about cost

An elevated spinal risk means veterinary costs for this breed can run higher over a lifetime than for a breed without that predisposition — routine care plus a real chance of needing imaging, medication, or even surgery at some point adds up quickly. A full course of treatment for a single IVDD episode in the US — diagnostic imaging, surgery, hospitalization, and recovery care together — commonly runs somewhere in the $5,000 to $12,000 range, with the surgery itself typically $2,000 to $4,000 of that; roughly one in five surgically treated dogs goes on to herniate a second disc within three years, which can mean facing part of that cost again. Pet insurance, taken out while your dog is young and before anything has been diagnosed, is genuinely worth considering rather than assuming you'll simply cover costs as they arise. This isn't meant to alarm you — it's meant to help you plan with clear

eyes rather than be caught off guard later.

It's also worth knowing this isn't a risk the breed is simply living with unaddressed. The UK Kennel Club and the country's Dachshund Breed Council run an official spinal screening program, x-raying young adult dogs and tracking early disc changes to help guide which dogs get bred forward, with counterparts in Denmark and Finland that have been running for well over a decade. This is a breed the veterinary and breeding community is actively working to improve, not just warn owners about.

What to take from this chapter

1. Weight doesn't cause IVDD, but it loads an already-vulnerable spine with extra work — keeping your dog lean is one of the few parts of this risk you directly control.
2. Check body condition monthly using ribs, waist, and belly line together, and weigh food rather than eyeballing portions.
3. Learn the IVDD warning signs by heart — reluctance to jump, yelping when touched on the back, wobbly or dragging back legs, reluctance to move, and loss of bladder or bowel control all mean an immediate call, not a wait-and-see night.
4. Subtler changes — stiffness, hesitation on stairs, quietness — deserve a prompt call to your regular vet even without a dramatic sign attached.

5. Consider pet insurance while your dog is young, given this breed's real, above-average likelihood of needing spine-related care at some point in its life.

Chapter 16, the final chapter of this guide, brings everything together into a plan for your dog's whole life — from the habits worth building now through the senior years — and closes out the book.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden back pain, wobbly or dragging back legs, reluctance to move, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.





Fifteen chapters ago, this book opened with a dog whose whole shape is a kind of built-in warning label — long back, short legs, a spine doing a harder job than most dogs' spines ever have to. Everything since has been about taking that fact seriously without letting it take over: how to lift your dog properly, how to manage stairs and furniture, how to feed and exercise

in a way that protects that back, and, in the last chapter, exactly what to watch for and when to call a vet without hesitating.

This chapter is where all of that turns into a plan you actually carry forward — not a list of rules to reread occasionally, but a shape for how care changes across your dog's whole life, from the habits worth building now through the senior years ahead. It's a genuinely long life to plan for, too: the largest recent study of dog longevity found miniature Dachshunds living to a median age of about fourteen years — longer than the roughly twelve and a half years averaged across all breeds studied, and among the longer-lived breeds in the whole dataset. It's also the last chapter of the book, and it closes the way the rest of this guide has tried to work throughout: honestly, warmly, and without pretending a long-backed dog is a fragile one.

The plan, stage by stage


Young dog – building the habits that hold up for years. This is when spine-protective habits are cheapest to install, because there's no injury history to work around yet. Ramps and steps at furniture height from the start, rather than introduced later once jumping has already become a habit to break. A feeding routine anchored to body condition rather than a bag's suggested amount, adjusted as your dog's metabolism and activity settle into its adult pattern. Handling and lifting done correctly every time, by everyone in the household, until it's simply how your dog gets picked up rather than something anyone has to think about.

Adult dog – maintaining rather than reacting. The habits from the young-dog stage keep doing their job here, largely unchanged, but this is also the stage where it's easy to get complacent precisely because

nothing has gone wrong yet. Keep the monthly body condition check going even when your dog looks fine at a glance — weight tends to creep on gradually, not overnight, which is exactly what makes a regular check more useful than a general impression. Keep annual vet visits on the calendar even in years that feel uneventful, and keep the IVDD warning signs from Chapter 15 close enough in memory that you'd recognize one without having to look it up.

Senior dog — anticipating rather than waiting to be told. The section below covers this stage in more detail, but the short version is that senior care for this breed means shifting from reacting to changes toward expecting them, and adjusting a little ahead of need rather than after.





Senior Dachshunds: what actually changes

Aging doesn't introduce a new spinal risk to this breed — it was always there — but it does make an existing risk more relevant to manage actively, the same way years of ordinary wear make any joint or disc more vulnerable over time. A few concrete shifts are worth planning for rather than reacting to after the fact.

Weight tends to creep up just as activity naturally tends to creep down. An older dog moving a little less needs a little less food to stay at the same lean body condition — the mistake most owners make isn't feeding too much on any single day, it's simply not adjusting the amount downward as the year-over-year activity level quietly drops. Revisit the body condition check from Chapter 15 more often in the senior years, not less.

Furniture and stair access deserve a second look. A ramp your dog may have occasionally skipped in favor of jumping when younger becomes more important to actually enforce as joints and discs accumulate more years of wear. If your dog has always had reasonably free access to jump on and off furniture, the senior years are a sensible point to tighten that up, even without any injury having happened yet.

Recovery from ordinary activity slows down. A walk or a play session that never used to leave a visible mark might leave your senior dog a little stiffer the next morning. That's not automatically alarming on its own, but it's worth noting as a new baseline and mentioning at your next vet visit rather than assuming it will simply pass unremarked.

Vet visits benefit from stepping up in frequency. Many vets recommend moving from annual to twice-yearly check-ups as a dog enters its senior years, partly because age-related change and this breed's known spinal risk both become more relevant with time, and partly because twice-yearly visits simply catch small changes sooner than once-yearly ones can.

Cognitive changes are worth knowing the shape of, separately from ordinary slowing down. Some slowing — sleeping more, moving a bit more deliberately — is simply age. A distinct and separate

thing to watch for is canine cognitive dysfunction: signs like apparent disorientation, a disrupted sleep-wake cycle, house-training accidents in a dog that's been reliable for years, or reduced interest in family members it used to engage with happily. Any one of these on its own might be nothing. A real change from your own dog's baseline is worth a specific conversation with your vet rather than a quiet mental note.





A simple yearly rhythm

Put a version of this on a calendar, and it does most of the remembering for you: an annual (or twice-yearly, once your dog is senior) vet visit with a specific mention of weight and spine health, not just a general check-in; a body condition check done monthly, all year, regardless of how your dog looks that week;

parasite prevention and vaccinations kept current on your vet's schedule; and one honest look, at the start of each year, at whether your dog's exercise routine, feeding amount, and furniture access still match the dog actually in front of you rather than the dog you remember from a year or two ago.



When to bring in a specialist

Most of this book's advice sits comfortably with a general practice vet. Two situations are worth knowing in advance might call for more: if your dog has already had one IVDD episode, ask your vet directly whether a consultation with a veterinary neurologist makes sense for ongoing management, since a dog with a history carries a meaningfully higher chance of a second episode and specialist input can shape decisions your regular vet may want backup on. And if mobility or joint concerns beyond the spine come up as your dog ages – hips, knees, general orthopedic comfort – a veterinary orthopedic specialist is a reasonable next step your vet can refer you toward rather than something to seek out on your own without that guidance.

The part no checklist covers

Everything in this chapter, and in this book, is really in service of one thing: more good years with a dog whose personality tends to fill a room in a way that has very little to do with its size. That's not a checklist item, but it's worth saying plainly, because a book this focused on risk and vigilance can start to read like a dog that needs to be handled with permanent caution. That was never the goal. A well-cared-for Dachshund, weight managed, spine protected, warning signs known cold, is in most ordinary moments exactly what drew you to the breed in the first place — stubborn, funny, fiercely attached, entirely unbothered by its own proportions. The vigilance this book has asked of you isn't in tension with that. It's what protects the years you get to enjoy it.

Closing note

This book opened by naming the thing most new owners aren't warned about clearly enough: a body built low and long, on a spine that's carrying more than its share of the work. That fact never stopped being true across the fifteen chapters since, and it won't stop being true tomorrow. But it was never the whole story either — it's one fact about a dog whose personality, by every account including probably your own, is considerably larger than its body.

What changes, once you've read this far, isn't the dog. It's you — from someone who might have missed a reluctant jump or a stiff morning as "just a mood," into someone who reads that same moment correctly and knows exactly what to do about it. That shift, once it happens, tends to stay. It quietly becomes how you see this dog, for every ordinary day you get together from here.

Thank you for reading the whole way through, and for taking seriously a dog whose real needs are easy to underestimate simply because it's so good at making you laugh.

This guide is educational and is not a substitute for veterinary care. Any dog showing sudden back pain, wobbly or dragging back legs, reluctance to move, or loss of bladder or bowel control needs emergency veterinary attention immediately, not home management.